

US00D501643S

(12) **United States Design Patent**
Strand et al.

(10) **Patent No.: US D501,643 S**
(45) **Date of Patent: ** Feb. 8, 2005**

(54) **TRANSMITTER FOR A MONITOR FOR A MOVABLE BARRIER**

(75) Inventors: **Erik W. Strand**, Plainfield, IL (US);
Jonathan Wierengo, Glenview, IL (US)

(73) Assignee: **The Chamberlain Group, Inc.**,
Elmhurst, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/205,849**

(22) Filed: **May 21, 2004**

Related U.S. Application Data

(62) Division of application No. 29/172,567, filed on Dec. 13, 2002.

(51) **LOC (7) Cl. 10-05**

(52) **U.S. Cl. D10/104; D14/240; D14/358**

(58) **Field of Search D10/104, 106,**
D10/116; 340/545.1, 540, 547, 686.1, 545.2,
545.3, 686.6, 539.22, 571, 693.5, 693.6;
D14/240, 358, 159; 336/83; D15/199

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D168,149 S * 11/1952 Edwards et al. D10/106
- 3,975,723 A * 8/1976 Bowling et al. 340/547
- 4,278,968 A * 7/1981 Arnett et al. 340/686.6
- D315,527 S * 3/1991 Kulikowski et al. D10/108
- 5,402,105 A * 3/1995 Doyle et al. 340/539.22
- D357,201 S * 4/1995 Novack D10/104
- 5,471,195 A * 11/1995 Rickman 340/550
- D379,993 S * 6/1997 Devitt et al. D14/240
- D383,687 S * 9/1997 Conrado et al. D10/104
- 5,689,236 A * 11/1997 Kister 340/545.1
- D393,859 S * 4/1998 Nguyen et al. D14/191
- 5,798,681 A * 8/1998 Chang 336/83
- D399,155 S * 10/1998 Roberts D10/106
- 5,883,579 A * 3/1999 Schreiner et al. 340/686.1
- D415,743 S * 10/1999 Inukai D14/425
- D415,769 S * 10/1999 Waldner D14/240
- D424,065 S * 5/2000 Soo D14/240

- D429,238 S * 8/2000 Kolinen D14/240
- D432,551 S * 10/2000 Luke D15/199
- D435,041 S * 12/2000 Coker et al. D14/240
- D438,199 S * 2/2001 Arpe D14/240
- D438,533 S * 3/2001 Arpe D14/240
- 6,225,913 B1 * 5/2001 Slomowitz et al. 340/686.1
- 6,310,548 B1 * 10/2001 Stephens et al. 340/540
- D465,215 S * 11/2002 Hill et al. D14/240
- D470,839 S * 2/2003 Tuhkanen D14/240
- D470,852 S * 2/2003 Kim D14/439
- 6,522,258 B1 * 2/2003 Lott 340/686.1
- D473,220 S * 4/2003 Smith et al. D14/240
- D473,221 S * 4/2003 Gargani et al. D14/240
- 6,597,291 B2 * 7/2003 Tsui 340/686.1
- D478,605 S * 8/2003 Guzman et al. D15/199
- D484,120 S * 12/2003 Yin et al. D14/240
- D485,551 S * 1/2004 Mikkola et al. D14/240

OTHER PUBLICATIONS

Chamberlain LiftMaster Professional, 915LM Garage door monitor, 999LM Remote light control, at www.liftmaster.com, site visited Aug. 4, 2003 and revisited Sep. 21, 2004.*

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin & Flannery


(57) **CLAIM**

I claim the ornamental design for a transmitter for a monitor for a movable barrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a transmitter for a monitor for a movable barrier showing our new design;
FIG. 2 is a front elevational view of the transmitter of FIG. 1;
FIG. 3 is a rear elevational view of the transmitter of FIG. 1;
FIG. 4 is a right side elevational view of the transmitter of FIG. 1;
FIG. 5 is a left side elevational view of the transmitter of FIG. 1.
FIG. 6 is a top plan view of the transmitter of FIG. 1; and,
FIG. 7 is a bottom plan view of the transmitter of FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7