

US00D501800S

(12) **United States Design Patent**  
**Bradfield et al.**

(10) **Patent No.: US D501,800 S**  
(45) **Date of Patent: \*\* Feb. 15, 2005**

(54) **THICKNESS GAUGE**

(75) Inventors: **Iain Bradfield**, Norwich (GB); **Simon James Skillings**, Staffordshire (GB)

(73) Assignee: **Turner Intellectual Property LTD**, Staffordshire (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/189,800**

(22) Filed: **Sep. 9, 2003**

(30) **Foreign Application Priority Data**

Mar. 10, 2003 (GB) ..... 3011482

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70; D10/65; D10/78**

(58) **Field of Search** ..... **D10/65, 70, 78; 324/671, 230, 654, 758, 229**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D278,211 S \* 4/1985 Koch ..... D10/46

5,293,132 A \* 3/1994 Koch ..... 324/671  
D443,537 S \* 6/2001 Nix ..... D10/70  
2004/0000918 A1 \* 1/2004 Sanoner et al. .... 324/671

\* cited by examiner

*Primary Examiner*—Antoine D. Davis  
(74) *Attorney, Agent, or Firm*—Nikolai & Mersereau, P.A.

(57) **CLAIM**


The ornamental design for a thickness gauge, as shown and described.


**DESCRIPTION**

FIG. 1 is a front perspective view of a thickness gauge in the closed position; and,


FIG. 2 is a front perspective view of a thickness gauge in an open position. The reverse side is symmetric with the front side.

**1 Claim, 2 Drawing Sheets**





*Fig. 1*



*Fig. 2*