

US00D501824S

(12) **United States Design Patent** (10) **Patent No.:** **US D501,824 S**
Ku (45) **Date of Patent:** **** Feb. 15, 2005**

(54) **BATTERY CHARGER**

(75) **Inventor:** **Richard Yuk Hing Ku**, Singapore (SG)

(73) **Assignee:** **GP Batteries International Limited**,
Singapore (SG)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/189,426**

(22) **Filed:** **Sep. 5, 2003**

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/107**

(58) **Field of Search** D13/107, 108;
D14/251, 253; 320/107-116

(56) **References Cited**

U.S. PATENT DOCUMENTS

D348,427 S * 7/1994 Ohmaki et al. D13/107
D454,837 S * 3/2002 Ibuki et al. D13/107
D456,349 S * 4/2002 Chuang D13/107

D462,319 S * 9/2002 Lee D13/107
D471,514 S * 3/2003 Jacober et al. D13/103

* cited by examiner

Primary Examiner—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Burns, Doane, Swecker &
Mathis, L.L.P.

(57) **CLAIM**

The ornamental design for a “battery charger, ” as shown
and described.

DESCRIPTION

FIG. 1 is a front view of a “battery charger” showing my
design;

FIG. 2 is a rear side view thereof;

FIG. 3 is a right side view thereof;


FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7