

US00D502002S

(12) **United States Design Patent**
Conway et al.

(10) **Patent No.: US D502,002 S**
(45) **Date of Patent: ** Feb. 22, 2005**

(54) **HANDLE**

(75) Inventors: **Simon M. Conway**, Burlington, WI (US); **Douglas A. Soller**, Racine, WI (US); **Todd A. Zeilinger**, Chicago, IL (US); **Anne C. Moser**, Chicago, IL (US); **Tianzhu Wang**, Chicago, IL (US); **John W. Van Akkeren**, Chicago, IL (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/193,172**

(22) Filed: **Nov. 5, 2003**

(51) **LOC (7) Cl.** **04-01**

(52) **U.S. Cl.** **D4/138; D32/51**

(58) **Field of Search** D4/132, 137, 138, D4/199; D8/394, 395; D32/35, 51; 15/104.94, 143.1, 146, 147.1, 159.1, 160, 164, 173, 184, 201, 202, 209.1, 210.1, 211, 229.13, 244.1; 16/110.1, 430; 294/19.1, 100, 115

(56) **References Cited**

U.S. PATENT DOCUMENTS

245,585 A	8/1881	Tracy	
1,534,300 A *	4/1925	Coltrane	15/244.1 X
2,825,084 A	3/1958	Sanborn	15/210.1
4,031,673 A	6/1977	Hagelberg	
4,987,634 A *	1/1991	Weihrauch	15/209.1

5,156,428 A *	10/1992	Wright	294/19.1
5,520,430 A *	5/1996	Clark, Jr.	16/110.1 X
5,630,243 A *	5/1997	Federico et al.	15/104.94
6,272,716 B1	8/2001	Thornton	
6,463,620 B2	10/2002	Busha	
6,745,427 B1 *	6/2004	Trenz et al.	15/104.94
D496,512 S *	9/2004	Treacy	D32/51

* cited by examiner

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor

(57) **CLAIM**

The ornamental design for a handle, as shown and described.

DESCRIPTION

The nature of this product is as a handle part of a cleaning implement such as a toilet bowl brush.

FIG. 1 is a right, top, front perspective view of a handle embodying our new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof; and,

FIG. 8 is a view similar to FIG. 3, but showing the handle after jaw structure has been moved inwardly by rearward movement of an actuator portion of the handle.

The broken line representations of holes in FIGS. 1, 2, 3, 4, 5 and 7 are for purposes of illustration only, and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 2





FIG. 3






FIG. 4




FIG. 5




FIG. 8