



US00D502069S

(12) **United States Design Patent** (10) **Patent No.:** **US D502,069 S**  
**Bates et al.** (45) **Date of Patent:** **\*\* Feb. 22, 2005**

(54) **CORKSCREW**

(75) Inventors: **Mathew M Bates**, Bantry (IE);  
**Diarmuid O McMahon**, Dublin (IE)

(73) Assignee: **Le Creuset, S.A.**, Fresnoy-le-Grand  
(FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/187,097**

(22) Filed: **Jul. 28, 2003**

(30) **Foreign Application Priority Data**

Jan. 31, 2003 (GB) ..... 3010562

(51) **LOC (7) Cl.** ..... **07-06**

(52) **U.S. Cl.** ..... **D8/42**

(58) **Field of Search** ..... D8/16-19, 33-43,  
D8/21, 26, 29; D11/157-162; 7/151-156,  
118; 81/3.07-3.49, 52, 119-125.1, 177.1-177.6,  
436, 437

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,845,844 A	7/1989	Allen	
D358,744 S	5/1995	Entwistle	
D359,213 S	* 6/1995	Entwistle	D8/42
D364,324 S	11/1995	Entwistle	
D393,993 S	5/1998	De Bergen	
D415,667 S	10/1999	De Bergen	
D471,778 S	* 3/2003	Federighi	D8/42
D482,250 S	11/2003	Vitrac	

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

(74) *Attorney, Agent, or Firm*—Gary L. Bush; Andrews  
Kurth LLP

(57) **CLAIM**

The ornamental design for a corkscrew, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of the corkscrew according to  
the invention showing a lever positioned at the front of the  
corkscrew;

FIG. 2 is a front view of the corkscrew of FIG. 1 showing  
the lever positioned at the front of the corkscrew;

FIG. 3 is a bottom view of the corkscrew of FIG. 1 looking  
up from the bottom of FIG. 2 with the lever positioned at the  
front of the corkscrew;

FIG. 4 is a bottom view of the corkscrew of FIG. 1 looking  
up from the bottom of FIG. 2 but with the lever rotated  
ninety degrees from the front side;

FIG. 5 is a back view of the corkscrew of FIG. 1 with the  
lever positioned at the front of the corkscrew;


FIG. 6 is a side view of the corkscrew of FIG. 1 taken from  
the right side of the corkscrew showing the lever positioned  
at the front of the corkscrew;


FIG. 7 is a top view looking down at the top of the corkscrew  
from the back side of FIG. 5 with the lever positioned at the  
front of the corkscrew

FIG. 8 is a partial view of the corkscrew of FIG. 1 taken  
from the right side thereof with the lever rotated ninety  
degrees from the front side; and,


FIG. 9 is a partial view of the corkscrew of FIG. 1 taken  
from the right side thereof with the lever rotated two  
hundred seventy degrees from the front side.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**