

#### (12) United States Design Patent (10) Patent No.: US D502,315 S Mar. 1, 2005 **Oberhofer** (45) **Date of Patent:** \*\*

- **REFILLABLE HANDHELD CONTAINER** (54)
- Rudolf Oberhofer, Hauptstr. 114, (76) Inventor: 85123 Karlskron (DE)
- (\*\*)14 Years Term:
- Appl. No.: 29/187,338 (21)
- Jul. 30, 2003 (22)Filed:
- Foreign Application Priority Data (30)

Primary Examiner—Philip S. Hyder (74) Attorney, Agent, or Firm—Dority & Manning, P.A.

### (57)CLAIM

The ornamental design for a refillable handheld container, as shown and described.

## DESCRIPTION

FIG. 1 is a front plan view of the container;

Jan. 31, 2003 (DE) ..... 4 03 00 771

- LOC (7) Cl. ..... 03-01 (51)
- **U.S. Cl.** ..... **D3/271**; D21/616; D9/310 (52) (58)D3/273; D9/310, 307, 318; D21/616; 206/457; D7/606, 623

(56) **References Cited** U.S. PATENT DOCUMENTS

D215,868 S	*	11/1969	Frank D7/516
D282,092 S	≉	1/1986	Adams D21/616
D284,656 S	≉	7/1986	Lee D14/143
D293,079 S	≉	12/1987	Ferrero D9/318
D356,350 S	≯	3/1995	Berggreen D21/616
D358,298 S	≉	5/1995	Brown et al D7/516
D422,492 S	≯	4/2000	Indelicato et al D9/310
D470,900 S	*	2/2003	Steele-Kurtin et al D21/616

\* cited by examiner

FIG. 2 is a perspective view of the left side of the container, the right side being a mirror image of the left side; FIG. 3 is a plan view of the right side of the container, the left side being a mirror image of the right side; FIG. 4 is a top plan view of the container shown in FIGS. 1–3;

FIG. 5. is a bottom plan view of the container; and, FIG. 6 is a back plan view of the container.

The bottom is flat so as to enable the container to rest on a flat surface and forms no part of the claimed design.

The broken line showing of environmental structure is for illustrative purposes only and forms no part of the claimed design.

The broken lines that appear on the bottom surface in FIG. 5 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



## **U.S. Patent** Mar. 1, 2005 Sheet 1 of 3 US D502,315 S







FIG. 3



# FIG. 4

## U.S. Patent Mar. 1, 2005 Sheet 3 of 3 US D502,315 S



# **FIG. 5**



# **FIG. 6**