

### (12) United States Design Patent (10) Patent No.: US D502,324 S Conway et al. (45) Date of Patent: \*\* Mar. 1, 2005

### (54) **PART OF A HANDLE**

(75) Inventors: Simon M. Conway, Burlington, WI
(US); Douglas A. Soller, Racine, WI
(US); Todd A. Zeilinger, Chicago, IL
(US); Anne C. Moser, Chicago, IL
(US); Tianzhu Wang, Chicago, IL
(US); John W. Van Akkeren, Chicago, IL
(US); John W. Van Akkeren, Chicago, IL

6,272,716	<b>B</b> 1		8/2001	Thornton
6,463,620	<b>B</b> 2		10/2002	Busha
6,745,427	<b>B</b> 1	≉	6/2004	Trenz et al 15/104.94
D496,512	S	≉	9/2004	Treacy D32/51

\* cited by examiner

Primary Examiner—Alan P. Douglas Assistant Examiner—Lavone D. Tabor

(57)

(73) Assignee: S.C. Johnson & Son, Inc., Racine, WI (US)

(\*\*) Term: 14 Years

(21) Appl. No.: 29/193,173

(22) Filed: Nov. 5, 2003

- (51) LOC (7) Cl. ..... 04-01
- (52) U.S. Cl. ..... D4/138; D32/51
- (58) Field of Search ...... D4/132, 137, 138;
   D32/35, 51; 15/104.94, 143.1, 159.1, 160, 164, 209.1, 210.1, 211, 229.13, 244.1; 16/110.1, 430
- (56) **References Cited**

#### U.S. PATENT DOCUMENTS

1,534,300 A	≉	4/1925	Coltrane 15/244.1 X
2,825,084 A		3/1958	Sanborn 15/210.1
5,520,430 A	≉	5/1996	Clark, Jr 16/110.1 X

The ornamental design for a part of a handle, as shown and described.

CLAIM

#### DESCRIPTION

The nature of this product is as part of a cleaning implement such as a toilet bowl brush. FIG. 1 is a right, top, front perspective view of a part of a handle embodying our new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevational view thereof; FIG. 7 is a rear elevational view thereof. The broken line representations of holes in FIGS. 1–5 and 7, of an actuator in FIGS. 1–4, and 6 and 7 of guide teeth in FIGS. 1–3, 5 and 6, are for purposes of illustration only, and form no part of the claimed design.

1 Claim, 3 Drawing Sheets





# **U.S. Patent** Mar. 1, 2005 Sheet 1 of 3 US D502,324 S







# **U.S. Patent** Mar. 1, 2005 Sheet 2 of 3 US D502,324 S









#### **U.S. Patent** US D502,324 S Mar. 1, 2005 Sheet 3 of 3



,

