



US00D502371S

(12) **United States Design Patent**  
**Pia**

(10) **Patent No.:** **US D502,371 S**  
(45) **Date of Patent:** **\*\* Mar. 1, 2005**

(54) **SCISSORS**

(75) **Inventor:** **Gary Pia**, Stratford, CT (US)

(73) **Assignee:** **Acme United Corporation**, Fairfield, CT (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/188,902**

(22) **Filed:** **Aug. 27, 2003**

(51) **LOC (7) Cl.** ..... **08-03**

(52) **U.S. Cl.** ..... **D8/57**

(58) **Field of Search** ..... D8/57, 107; 7/135, 7/136; 30/131, 195, 358, 229-262

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,073,058	A	*	2/1978	Solf et al.	.....	30/257
D393,404	S	*	4/1998	Jacquet	.....	D8/57
D413,778	S	*	9/1999	Matthews et al.	.....	D8/57
6,000,138	A	*	12/1999	Bornancini	.....	30/232
D446,099	S	*	8/2001	Pia	.....	D8/57
D448,261	S	*	9/2001	Pia	.....	D8/57
D472,121	S	*	3/2003	Wolff	.....	D8/57

**OTHER PUBLICATIONS**

Guernsey Office Products' 2001 General Line Catalog, (c)2000. (4 pages), All scissors shown on pp. 975 through 978.\*

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(57) **CLAIM**

The ornamental design for scissors, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the scissors according to the present invention;

FIG. 2 is a front plan view of the scissors of FIG. 1;

FIG. 3 is a rear plan view of the scissors, rotated 180 degrees from the view of FIG. 2, of the scissors of FIG. 1;

FIG. 4 is a top view of the scissors of FIG. 1;

FIG. 5 is a bottom view, rotated 180 degrees from the view of FIG. 4, of the scissors of FIG. 1;

FIG. 6 is a first end view of the scissors of FIG. 1; and

FIG. 7 is a second end view, rotated 180 degrees from the view of FIG. 6, of the scissors of FIG. 1;

FIG. 8 is a perspective view of a first alternative embodiment of the scissors of FIG. 1;

FIG. 9 is a front plan view of the scissors of FIG. 8;

FIG. 10 is a rear plan view of the scissors, rotated 180 degrees from the view of FIG. 9, of the scissors of FIG. 8;

FIG. 11 is a top view of the scissors of FIG. 8;

FIG. 12 is a bottom view, rotated 180 degrees from the view of FIG. 11, of the scissors of FIG. 8;

FIG. 13 is a first end view of the scissors of FIG. 8;

FIG. 14 is a second end view, rotated 180 degrees from the view of FIG. 13, of the scissors of FIG. 8;

FIG. 15 is a perspective view of a second alternative embodiment of the scissors of FIG. 1;

FIG. 16 is a front plan view of the scissors of FIG. 15;

FIG. 17 is a rear plan view of the scissors, rotated 180 degrees from the view of FIG. 16, of the scissors of FIG. 15;

FIG. 18 is a top view of the scissors of FIG. 15;


FIG. 19 is a bottom view, rotated 180 degrees from the view of FIG. 18, of the scissors of FIG. 15;


FIG. 20 is a first end view of the scissors of FIG. 15; and,

FIG. 21 is a second end view, rotated 180 degrees from the view of FIG. 20, of the scissors of FIG. 15.


The broken lines shown on the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**






**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**



**FIG. 8**



**FIG. 9**



**FIG. 10**



**FIG. 11**




**FIG. 12**



**FIG. 13**




**FIG. 14**




**FIG. 15**





**FIG. 16**



**FIG. 17**



**FIG. 18**



**FIG. 19**



**FIG. 20**



**FIG. 21**