

US00D502442S

(12) **United States Design Patent** (10) **Patent No.:** **US D502,442 S**
Brown et al. (45) **Date of Patent:** **** Mar. 1, 2005**

(54) **TIRE TREAD**

(75) Inventors: **Robert Brown**, Tamworth (GB);
Malcolm Jeremy Board, Birmingham (GB)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/199,066**

(22) Filed: **Feb. 9, 2004**

(30) **Foreign Application Priority Data**

Sep. 16, 2003 (GB) 3014419

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/535**

(58) **Field of Search** D12/534-538,
D12/544, 569-573, 579; 152/209.1, 209.11,
209.12, 209.13, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D381,303 S * 7/1997 Jackson D12/535
D434,353 S * 11/2000 Jackson et al. D12/535
D487,248 S * 3/2004 Taniguchi D12/535

OTHER PUBLICATIONS

Dunlop D208 GP-A Radial Street High Performance Tire, 2003 Tread Design Guide, Jan. 2003, p. 191. 2/4.*

Dunlop D207GP Race Rear Tire, Motorcycle Accessory Warehouse Catalog, p. 42.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4