

US00D502564S

(12) **United States Design Patent**
Dalton et al.

(10) **Patent No.: US D502,564 S**
(45) **Date of Patent: ** Mar. 1, 2005**

(54) **FLASHLIGHT**

(75) Inventors: **David R. Dalton**, Turrumurra (AU);
John R. Brown, Mosman (AU);
Joseph P. Gardner, North Ridgeville,
OH (US); **Timothy Rugendyke**, Woy
Woy (AU)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/207,021**

(22) Filed: **Jun. 8, 2004**

(30) **Foreign Application Priority Data**

Dec. 8, 2003 (AU) 4328/2003

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/49**

(58) **Field of Search** D26/37-50; 362/157,
362/158, 171-174, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D492,807 S * 7/2004 Dalton et al. D26/49
D493,904 S * 8/2004 Dalton et al. D26/49

D494,298 S * 8/2004 Brent D26/49

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for a flashlight, as shown
and described.

DESCRIPTION

FIG. 1 is an upper front perspective view of the flashlight of
the present invention;

FIG. 2 is a lower rear perspective view of the flashlight of
the present invention;

FIG. 3 is a plan view of the flashlight of the present
invention;

FIG. 4 is a view showing the right side elevation of the
flashlight of the present invention;


FIG. 5 is a view showing the left side elevation of the
flashlight of the present invention;

FIG. 6 is a view showing the front elevation of the flashlight
of the present invention;

FIG. 7 is a view showing the rear elevation of the flashlight
of the present invention; and,

FIG. 8 is an underneath view of the flashlight of the present
invention.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8