

US00D502579S

(12) **United States Design Patent**
Honermann

(10) **Patent No.:** **US D502,579 S**
(45) **Date of Patent:** **** Mar. 1, 2005**

(54) **MITT WITH ABRASIVE-COATING**

5,134,746 A 8/1992 William
5,673,435 A * 10/1997 Gebhard 2/159
5,885,148 A 3/1999 Vargas et al.

(76) **Inventor:** **Roy A. Honermann**, 300 Tennessee Ave., Adrian, MN (US) 56110

(**) **Term:** **14 Years**

FOREIGN PATENT DOCUMENTS

JP 2000070210 A * 3/2000 A47L/17/00

(21) **Appl. No.:** **29/188,728**

* cited by examiner

(22) **Filed:** **Aug. 22, 2003**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor

(51) **LOC (7) Cl.** **04-01**

(52) **U.S. Cl.** **D32/40**

(58) **Field of Search** D32/35, 40, 43;
D2/610, 617, 621; D28/63; D29/117.1,
117.2; 2/159, 161.3, 161.6, 161.8, 162,
167; 15/104.94, 209.1, 227

(57) **CLAIM**

The ornamental design for a mitt with abrasive-coating, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

2,335,871 A * 12/1943 Milligan 2/167 X
3,151,333 A 10/1964 Scholz
3,748,792 A 7/1973 Lamb
4,038,787 A 8/1977 Bianchi
D256,182 S 8/1980 Kupperman et al.

DESCRIPTION

FIG. 1 is a front elevational view of a mitt with abrasive-coating showing my new design;
FIG. 2 is a side view, taken from the left side of FIG. 1;
FIG. 3 is a side view, taken from the right side of FIG. 1;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 3




FIG. 2




FIG. 1




FIG. 4




FIG. 5