

US00D502670S

(12) **United States Design Patent**
Yoshiguchi

(10) **Patent No.:** **US D502,670 S**
(45) **Date of Patent:** **** Mar. 8, 2005**

(54) **BUCKLE**

D495,622 S * 9/2004 Uehara D11/216
D496,302 S * 9/2004 Kaneko et al. D11/216

(75) Inventor: **Manabu Yoshiguchi**, Kamakura (JP)

* cited by examiner

(73) Assignee: **Nifco Inc.**, Yokohama (JP)

Primary Examiner—Ralf Seifert

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(21) Appl. No.: **29/181,033**

(57) **CLAIM**

(22) Filed: **May 5, 2003**

The ornamental design for a buckle, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Nov. 5, 2002 (JP) 2002-030278

FIG. 1 is a perspective view of a buckle showing my new design;

(51) **LOC (7) Cl.** **11-01**

FIG. 2 is a front view thereof;

(52) **U.S. Cl.** **D11/216**

FIG. 3 is a rear view thereof;

(58) **Field of Search** D11/200, 201,
D11/210, 212–214, 216, 218, 231, 234,
236, 86–87; 24/196, 316, 326, 616, 644

FIG. 4 is a right side view thereof, a left side view being symmetrical to the right side view;

FIG. 5 is a plan view thereof;

FIG. 6 is a bottom view thereof;

(56) **References Cited**


FIG. 7 is a sectional view taken along line 7—7 in FIG. 2; and,

U.S. PATENT DOCUMENTS

FIG. 8 is a perspective view of a male member.

D467,521 S * 12/2002 Yoshiguchi D11/216
D493,385 S * 7/2004 Uehara et al. D11/216

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8