

US00D503119S

(12) **United States Design Patent**
Motomizu et al.

(10) **Patent No.: US D503,119 S**
(45) **Date of Patent: ** Mar. 22, 2005**

(54) **BODY COMPOSITION METER**

DESCRIPTION

(75) Inventors: **Yujiro Motomizu**, Fuchu (JP);
Masaaki Sato, Shiki (JP)
(73) Assignee: **Tanita Corporation**, Tokyo (JP)
(**) Term: **14 Years**

(21) Appl. No.: **29/194,700**
(22) Filed: **Dec. 1, 2003**

(30) **Foreign Application Priority Data**

Jun. 23, 2003 (JP) 2003-017686

(51) **LOC (7) Cl.** **10-04**
(52) **U.S. Cl.** **D10/92; D10/94; D10/97**
(58) **Field of Search** D10/92, 94, 97;
73/592, 597; 177/25.11, 25.12, 25.13, 25.14,
25.15, 25.16, 25.17, 25.18, 210 R, 236-245;
600/547, 449, 442, 443

(56) **References Cited**

U.S. PATENT DOCUMENTS

D399,153 S * 10/1998 Yamauchi et al. D10/97
5,817,031 A * 10/1998 Masuo et al. 600/547
D419,089 S * 1/2000 Yamauchi et al. D10/97
D445,351 S * 7/2001 Yamauchi et al. D10/97
6,369,337 B1 * 4/2002 Machiyama et al. 177/25.13
6,400,983 B1 * 6/2002 Cha 600/547
6,589,178 B2 * 7/2003 Sakai 600/449
6,618,616 B2 * 9/2003 Iijima et al. 600/547
6,621,013 B2 * 9/2003 Tanida et al. 177/245
6,797,894 B2 * 9/2004 Montagnino et al. 177/238

* cited by examiner

Primary Examiner—Antoine D Davis
(74) *Attorney, Agent, or Firm*—McDermott Will & Emery
LLP

(57) **CLAIM**

The ornamental design for a body composition meter, as
shown and described.

FIG. 1 is a perspective view of a body composition meter according to our novel design;
FIG. 2 is a front view of the body composition meter of FIG. 1;
FIG. 3 is a rear view of the body composition meter of FIG. 1;
FIG. 4 is a right side view of the body composition meter of FIG. 1;
FIG. 5 is a left side view of the body composition meter of FIG. 1;
FIG. 6 is a plan view of the body composition meter of FIG. 1;
FIG. 7 is a bottom view of the body composition meter of FIG. 1;
FIG. 8 is a plan view of the body composition meter of FIG. 1 with the display being switched on;
FIG. 9 is an enlarged view of the operating section of the body composition meter of FIG. 8;
FIG. 10 is a plan view of the body composition meter of FIG. 1 with the electrodes for hand being taken out of the main body;
FIG. 11 is a perspective view of the body composition meter of FIG. 1 with the electrodes for hand being taken out of the main body;
FIG. 12 is a perspective view of the body composition meter in FIG. 1 with Japanese legend being put on the top surface of the operating keys;
FIG. 13 is a plan view of the body composition meter in FIG. 6 with Japanese legend being put on the top surface of the operating keys;
FIG. 14 is a plan view of the body composition meter in FIG. 8 with Japanese legend being put on the top surface of the operating keys;
FIG. 15 is an enlarged view of the operating section of the body composition meter in FIG. 9 with Japanese legend being put on the top surface of the operating keys;
FIG. 16 is a plan view of the body composition meter in FIG. 10 with Japanese legend being put on the top surface of the operating keys; and,
FIG. 17 is a perspective view of the body composition meter in FIG. 11 with Japanese legend being put on the top surface of the operating keys.

1 Claim, 11 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17

