

US00D503119S

(12) **United States Design Patent**
Motomizu et al.

(10) **Patent No.: US D503,119 S**
(45) **Date of Patent: ** Mar. 22, 2005**

(54) **BODY COMPOSITION METER**

DESCRIPTION

- (75) Inventors: **Yujiro Motomizu**, Fuchu (JP);
Masaaki Sato, Shiki (JP)
- (73) Assignee: **Tanita Corporation**, Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/194,700**
- (22) Filed: **Dec. 1, 2003**
- (30) **Foreign Application Priority Data**
Jun. 23, 2003 (JP) 2003-017686
- (51) **LOC (7) Cl.** **10-04**
- (52) **U.S. Cl.** **D10/92; D10/94; D10/97**
- (58) **Field of Search** D10/92, 94, 97;
73/592, 597; 177/25.11, 25.12, 25.13, 25.14,
25.15, 25.16, 25.17, 25.18, 210 R, 236-245;
600/547, 449, 442, 443

(56) **References Cited**

U.S. PATENT DOCUMENTS

D399,153 S	*	10/1998	Yamauchi et al.	D10/97
5,817,031 A	*	10/1998	Masuo et al.	600/547
D419,089 S	*	1/2000	Yamauchi et al.	D10/97
D445,351 S	*	7/2001	Yamauchi et al.	D10/97
6,369,337 B1	*	4/2002	Machiyama et al.	177/25.13
6,400,983 B1	*	6/2002	Cha	600/547
6,589,178 B2	*	7/2003	Sakai	600/449
6,618,616 B2	*	9/2003	Iijima et al.	600/547
6,621,013 B2	*	9/2003	Tanida et al.	177/245
6,797,894 B2	*	9/2004	Montagnino et al.	177/238

* cited by examiner

Primary Examiner—Antoine D Davis
(74) *Attorney, Agent, or Firm*—McDermott Will & Emery LLP

(57) **CLAIM**

The ornamental design for a body composition meter, as shown and described.

FIG. 1 is a perspective view of a body composition meter according to our novel design;
 FIG. 2 is a front view of the body composition meter of FIG. 1;
 FIG. 3 is a rear view of the body composition meter of FIG. 1;
 FIG. 4 is a right side view of the body composition meter of FIG. 1;
 FIG. 5 is a left side view of the body composition meter of FIG. 1;
 FIG. 6 is a plan view of the body composition meter of FIG. 1;
 FIG. 7 is a bottom view of the body composition meter of FIG. 1;
 FIG. 8 is a plan view of the body composition meter of FIG. 1 with the display being switched on;
 FIG. 9 is an enlarged view of the operating section of the body composition meter of FIG. 8;
 FIG. 10 is a plan view of the body composition meter of FIG. 1 with the electrodes for hand being taken out of the main body;
 FIG. 11 is a perspective view of the body composition meter of FIG. 1 with the electrodes for hand being taken out of the main body;
 FIG. 12 is a perspective view of the body composition meter in FIG. 1 with Japanese legend being put on the top surface of the operating keys;
 FIG. 13 is a plan view of the body composition meter in FIG. 6 with Japanese legend being put on the top surface of the operating keys;
 FIG. 14 is a plan view of the body composition meter in FIG. 8 with Japanese legend being put on the top surface of the operating keys;
 FIG. 15 is an enlarged view of the operating section of the body composition meter in FIG. 9 with Japanese legend being put on the top surface of the operating keys;
 FIG. 16 is a plan view of the body composition meter in FIG. 10 with Japanese legend being put on the top surface of the operating keys; and,
 FIG. 17 is a perspective view of the body composition meter in FIG. 11 with Japanese legend being put on the top surface of the operating keys.

1 Claim, 11 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5



FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17

