

US00D503510S

(12) **United States Design Patent**  
**Oya et al.**

(10) **Patent No.:** **US D503,510 S**  
(45) **Date of Patent:** **\*\* Apr. 5, 2005**

(54) **BRASSIERE**

(75) Inventors: **Kei Oya**, Kyoto (JP); **Masami Saito**, Kyoto (JP)

(73) Assignee: **Wacoal Corp.**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/168,231**

(22) Filed: **Sep. 30, 2002**

(51) **LOC (7) Cl.** ..... **02-01**

(52) **U.S. Cl.** ..... **D2/706**; 450/34; D2/708

(58) **Field of Search** ..... D2/700-727; 450/31, 450/39, 36, 52, 42, 49

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,202,058	A	*	5/1940	Malnick	.....	450/59
D140,484	S	*	2/1945	Paul	.....	D2/708
2,686,312	A	*	8/1954	Schmidt	.....	450/39
2,843,130	A	*	7/1958	Block et al.	.....	450/34
2,880,732	A	*	4/1959	Smith	.....	450/51
2,973,764	A	*	3/1961	Steiner	.....	450/52
3,033,205	A	*	5/1962	Walters	.....	450/45
D194,745	S	*	3/1963	Cole	.....	D2/707

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Sarah Gill

(74) *Attorney, Agent, or Firm*—Leydig, Voit & Mayer, Ltd.


(57) **CLAIM**

The ornamental design for a brassiere, as described and shown.

**DESCRIPTION**

FIG. 1 is a front view of a brassiere showing our new design; FIG. 2 is a rear view of a brassiere of FIG. 1; FIG. 3 is a left side view of a brassiere of FIG. 1; FIG. 4 is a right side view of a brassiere of FIG. 1; FIG. 5 is a plan view of a brassiere of FIG. 1; FIG. 6 is a bottom view of a brassiere of FIG. 1; FIG. 7 is a front perspective view of a brassiere of FIG. 1 showing a brassiere fastened; FIG. 8 is a rear perspective view of a brassiere of FIG. 1 showing a brassiere fastened; FIG. 9 is a rear view of a brassiere of FIG. 1 in use; FIG. 10 is a front view of a second embodiment thereof; FIG. 11 is a rear view of a brassiere of FIG. 10; FIG. 12 is a left side view of a brassiere of FIG. 10; FIG. 13 is a right side view of a brassiere of FIG. 10; FIG. 14 is a plan view of a brassiere of FIG. 10; FIG. 15 is a bottom view of a brassiere of FIG. 10; FIG. 16 is a front perspective view of a brassiere of FIG. 10 wherein a brassiere has been fastened; FIG. 17 is a rear perspective view of a brassiere of FIG. 10 wherein a brassiere has been fastened; and, FIG. 18 is a rear view of a brassiere of FIG. 10 in use. The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 18 Drawing Sheets**






Fig. 1






Fig. 2



**Fig. 3**



**Fig. 4**



Fig. 5






Fig. 6




**Fig. 7**





**Fig. 8**



**Fig. 9**




Fig. 10






Fig. 11



**Fig. 12**



**Fig. 13**



Fig. 14






Fig. 15





**Fig. 16**



**Fig. 17**




Fig. 18