

US00D503632S

(12) **United States Design Patent**
Kanai

(10) **Patent No.:** **US D503,632 S**

(45) **Date of Patent:** **** Apr. 5, 2005**

(54) **TEMPERATURE/HUMIDITY DETECTION DEVICE**

2003/0198277 A1 * 10/2003 Liao 374/208
2004/0071182 A1 * 4/2004 Quinn et al. 374/1

(75) Inventor: **Yoshiyuki Kanai**, Tokyo (JP)

* cited by examiner

(73) Assignee: **Yamatake Corporation**, Tokyo (JP)

Primary Examiner—Antoine D. Davis

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Burns, Doane, Swecker & Mathis, L.L.P.

(21) Appl. No.: **29/190,415**

(57) **CLAIM**

(22) Filed: **Sep. 22, 2003**

The ornamental design for a temperature/humidity detection device, as shown and described.

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/52**

(58) **Field of Search** D10/52-56; 374/100,
374/16, 208

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D300,727 S * 4/1989 Fukushima D10/52
- D378,900 S * 4/1997 de Sieyes et al. D10/52
- D400,806 S * 11/1998 Tillack D10/52
- D460,923 S * 7/2002 Chen D10/52

FIG. 1 is a front, side perspective view of a temperature/humidity detection device showing my new design.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.


FIG. 4 is a left side elevational view thereof.

FIG. 5 is a right side elevational view thereof.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7