

US00D503640S

(12) **United States Design Patent**  
**Yamamoto et al.**

(10) **Patent No.:** **US D503,640 S**  
(45) **Date of Patent:** **\*\* Apr. 5, 2005**

(54) **BATTERY CHECKER**

(75) Inventors: **Yukihiro Yamamoto**, Tokyo (JP);  
**Setsuo Ohtaka**, Tokyo (JP)

(73) Assignee: **FDK Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/207,477**

(22) Filed: **Jun. 14, 2004**

(30) **Foreign Application Priority Data**

Feb. 6, 2004 (JP) ..... 2004-003018

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/77**

(58) **Field of Search** ..... D10/77; 340/836;  
324/425-450

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D350,701 S \* 9/1994 Pan ..... D10/77

\* cited by examiner

*Primary Examiner*—Antoine D. Davis  
(74) *Attorney, Agent, or Firm*—Harness, Dickey & Pierce,  
P.L.C.

(57) **CLAIM**

The ornamental design for a battery checker, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of the battery checker showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a sectional view taken on line VII—VII of FIG. 1. The batteries are shown in broken lines in FIG. 7 for illustrative purpose only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




FIG.1




FIG.2




FIG.3



FIG.4




FIG.5




FIG.6




FIG. 7

