

US00D503923S

(12) **United States Design Patent** (10) **Patent No.:** **US D503,923 S**
Asherian (45) **Date of Patent:** **** Apr. 12, 2005**

- (54) **BATTERY**
- (75) Inventor: **Farshad Asherian**, Canoga Park, CA (US)
- (73) Assignee: **Jumpit AS**, Lysaker (NO)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/201,967**
- (22) Filed: **Mar. 24, 2004**
- (51) **LOC (7) Cl.** **13-02**
- (52) **U.S. Cl.** **D13/103**
- (58) **Field of Search** **D13/103, 110;**
 429/96-100, 159, 163, 176

- D439,877 S 4/2001 Vacheron et al.
 6,221,526 B1 * 4/2001 Tanishita 429/96
 D444,448 S 7/2001 Robinson et al.
 6,268,709 B1 7/2001 Lee et al.
 D447,468 S 9/2001 Nakahara et al.
 D447,729 S 9/2001 Song et al.
 D447,730 S 9/2001 Johansson
 D450,294 S 11/2001 Arbisi et al.
 D456,001 S 4/2002 Arbisi et al.
 D459,323 S 6/2002 Jeong
 D459,710 S 7/2002 Jeong
 D459,711 S 7/2002 Lee
 6,492,058 B1 12/2002 Watanabe et al.
 6,501,246 B2 12/2002 You et al.
 D469,415 S 1/2003 Nam
 D469,416 S 1/2003 Nam
 D469,750 S 2/2003 Nam
 6,529,372 B1 3/2003 Ng et al.
 D473,186 S 4/2003 Grosfeld et al.
 D474,149 S 5/2003 Kawahata et al.
 D476,948 S 7/2003 Mitchell

(56) **References Cited**
 U.S. PATENT DOCUMENTS

- D130,616 S 12/1941 Sears
 D307,886 S 5/1990 Ching, Jr. et al.
 D317,606 S 6/1991 Irie et al.
 5,396,162 A 3/1995 Brilmyer
 D360,185 S 7/1995 Kobayashi
 D367,640 S 3/1996 Nagele et al.
 D378,366 S 3/1997 Nagele et al.
 5,733,677 A 3/1998 Golovin et al.
 D393,857 S 4/1998 Park
 D394,841 S 6/1998 Hashimoto et al.
 5,786,106 A 7/1998 Armani
 D398,899 S 9/1998 Chaco
 D399,819 S 10/1998 Iida
 D400,496 S 11/1998 Barber et al.
 D400,497 S 11/1998 Sabag et al.
 D406,098 S 2/1999 Walter et al.
 D409,974 S 5/1999 Sasago
 D414,158 S 9/1999 Frye et al.
 D414,159 S 9/1999 Deslyper et al.
 D418,107 S 12/1999 Murray et al.
 D419,131 S 1/2000 Andrews et al.
 D423,449 S 4/2000 Naskali
 D429,210 S 8/2000 Chintala et al.
 D435,041 S 12/2000 Coker et al.
 D437,287 S 2/2001 Hamada et al.
 6,184,654 B1 2/2001 Bachner, III et al.

(Continued)

Primary Examiner—Alan P. Douglas
Assistant Examiner—Rosemary Tarcza
 (74) *Attorney, Agent, or Firm*—Marshall A. Lerner, Esq.;
 Bradford E. Mattes, Esq.; Finn T. Simmens, Esq.


(57) **CLAIM**

The ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the battery showing my new design;
 FIG. 2 is a perspective view of the rear thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a left elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom view thereof.
 Broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 1 Drawing Sheet



US D503,923 S

Page 2

U.S. PATENT DOCUMENTS					
			D483,013 S	12/2003	Tsukamoto et al.
			D483,722 S	12/2003	Bailey
D477,295 S	7/2003	Chung	2002/0150815 A1	10/2002	Ehara
D478,866 S	8/2003	Nakai	2003/0017390 A1	1/2003	Probst et al.
D480,682 S	10/2003	Kawase	2003/0211385 A1 *	11/2003	Yamazaki et al. 429/159
D481,995 S	11/2003	Yokota			
6,641,949 B2 *	11/2003	Cheiky et al. 429/163			* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.



Fig. 7.