

US00D504195S

(12) **United States Design Patent**
Canavan et al.

(10) **Patent No.:** **US D504,195 S**

(45) **Date of Patent:** **** Apr. 19, 2005**

(54) **PROTECTIVE FACE SHIELD FRAME**

(75) Inventors: **Richard W. Canavan**, Woodstock, CT (US); **Jeremy Conrad Howard**, Little Compton, RI (US); **Luke William Michas**, Westerly, RI (US); **Erica L. Osley**, Coventry, RI (US)

(73) Assignee: **Bacou-Dalloz Eye & Face Protection, Inc.**, Smithfield, RI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/189,791**

(22) Filed: **Sep. 10, 2003**

(51) **LOC (7) Cl.** **29-02**

(52) **U.S. Cl.** **D29/122**

(58) **Field of Search** D29/102-110, D29/112, 122; 2/6.1, 6.3-6.7, 8-11, 411-412, 414, 416-418, 423-425, 432, 209, 174, 183, 427-430; D28/9; 128/201.24, 201.15, 201.23, 857; D24/110.2, 110.3, 231; D26/39

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,259,908 A	7/1966	Simpson et al.	
3,362,403 A *	1/1968	Fleming et al.	128/201.24
D213,303 S *	2/1969	Jones	D29/110
D214,013 S *	5/1969	Jones	D29/110
3,789,428 A *	2/1974	Martin	2/9
4,097,929 A *	7/1978	Lowe et al.	2/10
4,101,980 A	7/1978	Stepan et al.	
4,354,285 A *	10/1982	Rudd	2/424
4,462,119 A	7/1984	Rudd	
4,507,809 A	4/1985	Stepan	
4,748,695 A *	6/1988	Shigematsu et al.	2/424
D320,870 S *	10/1991	Asbury et al.	D29/108
5,410,757 A *	5/1995	Vienamo et al.	2/9
5,793,449 A	8/1998	Lagerwall	

D416,649 S *	11/1999	Burns et al.	D29/110
6,016,805 A *	1/2000	Burns et al.	128/206.24
6,102,033 A *	8/2000	Baribeau et al.	128/201.24

* cited by examiner

Primary Examiner—Ruth McInroy

(74) *Attorney, Agent, or Firm*—Salter & Michaelson

(57) **CLAIM**


The ornamental design for a protective face shield frame, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a protective face shield frame showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof, the opposite side being a mirror image; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view of a second embodiment thereof; FIG. 8 is a front elevational view of FIG. 7; FIG. 9 is a rear elevational view of FIG. 7; FIG. 10 is a side elevational view of FIG. 7, the opposite side being a mirror image; FIG. 11 is a top plan view of FIG. 7; FIG. 12 is a bottom plan view of FIG. 7; FIG. 13 is a perspective view of a third embodiment thereof; FIG. 14 is a front elevational view of FIG. 13; FIG. 15 is a rear elevational view of FIG. 13; FIG. 16 is a side elevational view of FIG. 13, the opposite side being a mirror image; FIG. 17 is a top plan view of FIG. 13; and, FIG. 18 is a bottom plan view of FIG. 13.

The portions shown in broken lines are included for illustrative purposes only and form no part of the claimed design.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18