

US00D504288S

(12) **United States Design Patent**  
**Kushner**

(10) **Patent No.:** **US D504,288 S**

(45) **Date of Patent:** **\*\* Apr. 26, 2005**

(54) **BAR TOOL**

(76) **Inventor:** **Robert Gerald Kushner**, Flat G, Block G, Merry Terrace, 4 Seymour Road., Mid-Levels (HK)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/202,089**

(22) **Filed:** **Mar. 25, 2004**

(51) **LOC (7) Cl.** ..... **07-99**

(52) **U.S. Cl.** ..... **D8/34; D8/42; D8/87**

(58) **Field of Search** ..... **D8/16-20, 33-43, D8/82, 87, 98, 99; 7/151-158, 165; 30/400-443; 81/3.07-3.57, 436, 437, 460**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D46,983 S	*	2/1915	Holden	.....	D8/34
4,093,008 A	*	6/1978	Martin	.....	81/436
D340,634 S	*	10/1993	Lipic	.....	D8/87

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

(74) *Attorney, Agent, or Firm*—Stuart Whittington

(57) **CLAIM**

The ornamental design for a bar tool, as shown.

**DESCRIPTION**

A multi-functional tool which may be used for preparation of libations and driving screws.

FIGS. 1 and 2 are respective left and right side views of a bar tool showing my design in a stowed position;

FIG. 3 is a top plan view thereof;

FIG. 4 is a top plan view of the bar tool in a position for use;

FIG. 5 is a top left perspective view of the bar tool in the stowed position;


FIG. 6 is a bottom left perspective view thereof;

FIG. 7 is a top left perspective view of the bar tool in a position for use;

FIG. 8 is a top right perspective view thereof; and,

FIG. 9 is a top end perspective view thereof.

**1 Claim, 5 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9