

US00D504338S

(12) **United States Design Patent**
Tölle

(10) **Patent No.:** **US D504,338 S**

(45) **Date of Patent:** **** Apr. 26, 2005**

(54) **SURFACE CONFIGURATION OF A
COMPASS**

D422,635 S * 4/2000 Clark D10/126
D437,560 S * 2/2001 Niesyn D10/126
6,312,016 B1 * 11/2001 Basich 280/809

(75) **Inventor:** **Winfried Tölle**, Birkenfeld (DE)

* cited by examiner

(73) **Assignee:** **Dr. Ing. h.c.F. Porsche
Aktiengesellschaft**, Stuttgart (DE)

Primary Examiner—Antoine D. Davis
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(**) **Term:** **14 Years**

(57) **CLAIM**

(21) **Appl. No.:** **29/196,142**

The ornamental design for a surface configuration of a compass, as shown and described.

(22) **Filed:** **Dec. 24, 2003**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jun. 27, 2003 (DE) 4 03 04 375

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/68**

(58) **Field of Search** D10/68, 125, 126;
33/333-335, 291; D12/192


FIG. 1 is a front view of a surface configuration of a compass according to my novel design, the shading showing color change which occurs on the compass to represent the deviation in direction from north; and, FIG. 2 is an alternative front view of the surface configuration of a compass according to my novel design, similarly showing color change with shading. The broken lines are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D252,560 S * 8/1979 Lonroth D10/68

1 Claim, 1 Drawing Sheet






FIG. 1




FIG. 2