

US00D504431S

(12) **United States Design Patent** (10) **Patent No.:** **US D504,431 S**
Scully et al. (45) **Date of Patent:** **** Apr. 26, 2005**

(54) **TEMPLATE FOR USE WITH A
PUSH-BUTTON MATRIX**

DESCRIPTION

(75) Inventors: **Caroline T. Scully**, Birmingham, AL (US); **Arthur R. Simpson, Jr.**, Birmingham, AL (US); **Melvin R. Shinholster**, Hoover, AL (US)

(73) Assignee: **BellSouth Intellectual Property Corporation**, Wilmington, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/168,166**

(22) Filed: **Sep. 25, 2002**

Related U.S. Application Data

(63) Continuation of application No. 29/114,838, filed on Dec. 2, 1999, now abandoned.

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/432; D14/455**

(58) **Field of Search** **D14/432, 455, D14/456; 230/81; 428/40.1; 40/299.01; 33/562, 563, 565; 400/689, 715; D10/46.1; 235/145 R**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,560,964 A * 2/1971 Bedell et al.
- 4,075,465 A * 2/1978 Funk et al.
- 4,682,551 A * 7/1987 Toman

(Continued)

Primary Examiner—M. H. Tung

(74) *Attorney, Agent, or Firm*—Walters & Zimmerman; Geoff Sutcliffe; Jennifer Medlin

(57) **CLAIM**

The ornamental design for a template for use with a push-button matrix, as shown and described.

FIG. 1 is a front elevational view of a template for a push-button matrix, the areas around the upper left corner and lower right corner openings are shaded to represent the color blue;

FIG. 2 is a right side elevational view thereof, the left side is identical;

FIG. 3 is a top plan view thereof, the bottom view is identical;

FIG. 4 is a perspective view of a second embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color green;

FIG. 5 is a front elevational view of a third embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color red;

FIG. 6 is a front elevational view of a fourth embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color brown;

FIG. 7 is a front elevational view of a fifth embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color black;

FIG. 8 is a front elevational view of a sixth embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color gold;


FIG. 9 is a front elevational view of a seventh embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color orange;

FIG. 10 is a front elevational view of an eighth embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color purple; and,

FIG. 11 is a front elevational view of a ninth embodiment thereof, the areas around the upper left corner and lower right corner openings are shaded to represent the color silver.

The right side, left side, top and bottom views shown in FIGS. 2 and 3 also describe the corresponding views for the second through the ninth embodiments.

1 Claim, 3 Drawing Sheets



US D504,431 S

Page 2

U.S. PATENT DOCUMENTS

D291,993 S	*	9/1987	Duffin, II	D359,004 S	*	6/1995	Barrett et al.
D291,995 S	*	9/1987	Duffin, II	5,579,117 A	*	11/1996	Arsenault et al.
4,935,888 A	*	6/1990	Heston et al.	D391,242 S	*	2/1998	Roberts
5,058,285 A	*	10/1991	Morita et al.	5,763,121 A	*	6/1998	Randall
5,136,787 A	*	8/1992	Phills	5,917,905 A	*	6/1999	Whipple et al.
5,174,031 A	*	12/1992	Davis	6,142,783 A	*	11/2000	Rocha
D335,125 S	*	4/1993	Frankel	6,177,925 B1	*	1/2001	Soloway
D355,216 S	*	2/1995	Grant				

* cited by examiner




FIG. 1




FIG. 3





FIG. 4

FIG. 2






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11