

US00D504467S

(12) **United States Design Patent**  
**Killinger et al.**

(10) **Patent No.:** **US D504,467 S**  
(45) **Date of Patent:** **\*\* Apr. 26, 2005**

(54) **HOLDER**

(75) Inventors: **Timothy D. Killinger**, Plainfield, IL (US); **Matthew G. Lerch**, Chicago, IL (US); **Aaron W. Smith**, Plainfield, IL (US); **Gilberto Cavada, Jr.**, Melrose Park, IL (US); **Melanie Lyn Conklin**, Chicago, IL (US)

(73) Assignee: **Rubbermaid Incorporated**, Fairlawn, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/202,743**

(22) Filed: **Apr. 2, 2004**

(51) **LOC (7) Cl.** ..... **19-02**

(52) **U.S. Cl.** ..... **D19/90; D19/91**

(58) **Field of Search** ..... **D19/65, 75, 77, D19/78, 86, 90, 91, 95, 99, 100**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,396,910	A	*	11/1921	Annable	.....	211/42
1,598,467	A	*	8/1926	Weeks	.....	211/43
D231,137	S	*	4/1974	Juhlin	.....	D19/90
3,934,724	A		1/1976	Johnson	.....	206/507
4,102,453	A		7/1978	Carroll et al.	.....	206/507
4,238,032	A		12/1980	Thurman	.....	206/507
4,320,837	A		3/1982	Carroll et al.	.....	206/505
D310,925	S		10/1990	Mervar et al.	.....	D6/567
D314,215	S		1/1991	Hawes, Jr. et al.	.....	D19/90
5,036,988	A	*	8/1991	Rouire	.....	211/42
D335,996	S		6/1993	Evenson	.....	D6/553

D381,691	S	*	7/1997	Miyake	.....	D19/90
D385,921	S	*	11/1997	Tisbo	.....	D19/90
D390,606	S	*	2/1998	Cheris et al.	.....	D19/90
D393,005	S		3/1998	Devito	.....	D19/92
D400,926	S		11/1998	Stravitz	.....	D19/90
D420,051	S		2/2000	Conley et al.	.....	D19/90
D444,816	S		7/2001	Stravitz	.....	D19/90
6,352,162	B1	*	3/2002	Yang et al.	.....	211/43
D468,352	S	*	1/2003	Chen	.....	D19/34.1
D498,263	S	*	11/2004	Goodman et al.	.....	D19/90

\* cited by examiner

*Primary Examiner*—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP


(57) **CLAIM**

The ornamental design for a “holder,” as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view showing our new design; FIG. 2 is a front elevational view of the holder of FIG. 1; FIG. 3 is a top plan view of the holder of FIG. 1; FIG. 4 is a left side elevational view of the holder of FIG. 1, the right side elevational view being a mirror image thereof; FIG. 5 is a bottom plan view of the holder of FIG. 1; FIG. 6 is a rear elevational view of the holder of FIG. 1; and, FIG. 7 is a side perspective view of the holder of FIG. 1, the additional holders depicted by means of broken lines being shown for illustrative purposes only and forming no part of the claimed design.

**1 Claim, 3 Drawing Sheets**









**FIG. 1**


**FIG. 2**



**FIG. 3**










**FIG. 4**

**FIG. 5**





**FIG. 6**



**FIG. 7**