

US00D504579S

(12) **United States Design Patent**  
**Beermann et al.**

(10) **Patent No.: US D504,579 S**  
(45) **Date of Patent: \*\* May 3, 2005**

(54) **VEHICLE SEAT**

(75) Inventors: **Frank Beermann**, Kirchheim unter Teck (DE); **Dieter Armbrrecht**, Kirchheim unter Teck (DE)

(73) Assignee: **RECARO GmbH & Co. KG**, Kirchheim unter Teck (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,674**

(22) Filed: **Aug. 4, 2004**

(30) **Foreign Application Priority Data**

Feb. 11, 2004 (EM) ..... 000138730

(51) **LOC (7) Cl.** ..... **06-01**

(52) **U.S. Cl.** ..... **D6/356**

(58) **Field of Search** ..... D6/334-336, 356, D6/367, 368, 374, 375, 500-502; 297/232, 391, 452.21, 452.24, 452.25, 452.26, 452.29, 452.34, 452.35, 354.1

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,924,893 A \* 12/1975 Ferrara ..... 297/452.34
- D354,629 S \* 1/1995 Chapman ..... D6/334
- D356,694 S \* 3/1995 Armbrrecht ..... D6/356
- D391,410 S \* 3/1998 Tomforde et al. .... D6/356
- D396,152 S \* 7/1998 Beermann et al. .... D6/356
- D453,078 S \* 1/2002 Yamazaki et al. .... D6/356
- D465,344 S \* 11/2002 Siegert ..... D6/356

\* cited by examiner

*Primary Examiner*—Mimosa De

(74) *Attorney, Agent, or Firm*—Womble Carlyle Sandridge & Rice, PLLC

(57) **CLAIM**



The ornamental design for a vehicle seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a vehicle seat according to a first embodiment of the present invention;  
 FIG. 2 is a left elevation view of the vehicle seat shown in FIG. 1;  
 FIG. 3 is a right elevation view of the vehicle seat shown in FIG. 1;  
 FIG. 4 is a front elevation view of the vehicle seat shown in FIG. 1;  
 FIG. 5 is a rear elevation view of the vehicle seat shown in FIG. 1;  
 FIG. 6 is a top plan view of the vehicle seat shown in FIG. 1;  
 FIG. 7 is another perspective view of the vehicle seat shown in FIG. 1;  
 FIG. 8 is a perspective view of the vehicle seat according to a second embodiment of the present invention;  
 FIG. 9 is a left elevation view of the vehicle seat shown in FIG. 8;  
 FIG. 10 is a right elevation view of the vehicle seat shown in FIG. 8;  
 FIG. 11 is a front elevation view of the vehicle seat shown in FIG. 8;  
 FIG. 12 is a rear elevation view of the vehicle seat shown in FIG. 8;  
 FIG. 13 is a top plan view of the vehicle seat shown in FIG. 8; and,  
 FIG. 14 is another perspective view of the vehicle seat shown in FIG. 8.

The broken lines shown herein are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5



**FIG. 6**




FIG. 7






FIG. 8




FIG. 9





FIG. 10



**FIG. 11**





FIG. 12



**FIG. 13**




FIG. 14