



US00D504627S

(12) **United States Design Patent**  
**Harju**

(10) **Patent No.:** **US D504,627 S**

(45) **Date of Patent:** **\*\* May 3, 2005**

(54) **SENSOR**

(75) **Inventor:** **Jonne Harju, Kempele (FI)**

(73) **Assignee:** **Polar Electro Oy, Kempele (FI)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/209,308**

(22) **Filed:** **Jul. 14, 2004**

(30) **Foreign Application Priority Data**

Jan. 30, 2004 (FI) ..... M-20040008

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70; D10/97; D10/98**

(58) **Field of Search** ..... **D10/70, 97-98;**  
**377/24.2; 702/160; 235/105, 95 C; 482/3**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

6,658,079 B1 \* 12/2003 Macklin et al. .... 377/24.2

D491,478 S \* 6/2004 Shoji et al. .... D10/70

D491,479 S \* 6/2004 Hsu ..... D10/70

D494,484 S \* 8/2004 Bhavnani ..... D10/70

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Hoffman & Baron, LLP

(57) **CLAIM**

The ornamental design for a sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a sensor showing my new design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a left side elevation view thereof, the opposite right side being a mirror image thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevation view thereof; and,

FIG. 7 is a rear elevation view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 7



FIG. 4




FIG. 5