



US00D504635S

(12) **United States Design Patent** (10) **Patent No.:** **US D504,635 S**  
**Jones** (45) **Date of Patent:** **\*\* May 3, 2005**

(54) **RING**  
 (76) **Inventor:** **Joseph P. Jones**, R.D. 1, Box 1405,  
 Lake Ariel, PA (US) 18436  
 (\*\*) **Term:** **14 Years**  
 (21) **Appl. No.:** **29/195,631**  
 (22) **Filed:** **Dec. 15, 2003**  
 (51) **LOC (7) Cl.** ..... **11-01**  
 (52) **U.S. Cl.** ..... **D11/26; D8/34; D8/40**  
 (58) **Field of Search** ..... **D8/16, 18, 19,**  
**D8/33-43; 7/151-156; 30/155, 233, 298,**  
**400-443; 81/3.07-3.57; D11/26, 28, 29;**  
**63/15-15.9; 132/73.5**

D464,900 S \* 10/2002 Repossi ..... D11/26  
 D467,144 S 12/2002 McClaning, Jr. .... D8/40  
 6,786,113 B2 \* 9/2004 Brailsford et al. .... 81/3.55  
 2002/0189406 A1 12/2002 Hahn ..... 81/3.55

**OTHER PUBLICATIONS**

CYMBA, Inc. "The Ring Bottle Opener", downloaded from web cite www.cymba.com (2 pages).

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

(74) *Attorney, Agent, or Firm*—Synnestvedt & Lechner LLP

(57) **CLAIM**

The ornamental design for a ring, as shown and described.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

540,930	A	*	6/1895	Wallace	.....	30/298
579,655	A	*	3/1897	Saladee et al.	.....	30/155
888,580	A		5/1908	Brinn	.....	81/3.41
D41,178	S		2/1911	Francis	.....	D8/38
1,519,816	A		12/1924	Ward	.....	30/298
1,578,627	A		3/1926	Baumgarten	.....	81/3.57
1,597,589	A	*	8/1926	Ferrari	.....	132/73.5
2,548,517	A		4/1951	Clark	.....	81/3.46
D215,807	S		11/1969	Weingardt	.....	D8/40
3,495,284	A		2/1970	Weingardt	.....	7/152
4,667,544	A	*	5/1987	Milo	.....	81/3.09
D291,050	S	*	7/1987	McIntire	.....	D8/18
D292,499	S		10/1987	Eddy	.....	D11/2
4,825,728	A	*	5/1989	Mitchell	.....	81/3.09
4,869,134	A	*	9/1989	Sprecher	.....	81/3.09
D303,915	S		10/1989	Knutson	.....	D8/18
5,029,495	A		7/1991	Rosenberger	.....	81/3.09
5,048,186	A	*	9/1991	Lamb et al.	.....	30/233
D337,708	S		7/1993	Morris, Jr.	.....	D8/18
5,257,566	A	*	11/1993	Schultz	.....	81/3.55
D347,152	S		5/1994	Mohawk et al.	.....	D8/40
5,329,832	A		7/1994	Tegethoff	.....	81/3.55
5,347,890	A		9/1994	Rufkahr	.....	81/3.55
D373,941	S		9/1996	Davis	.....	D8/40
D438,075	S		2/2001	VanMeter	.....	D8/40
D454,765	S		3/2002	Jansson	.....	D8/40


**DESCRIPTION**

FIG. 1 is a perspective view of one embodiment of my design for a ring;  
 FIG. 2 is a side view of the ring shown in FIG. 1, the opposite side being identical thereto;  
 FIG. 3 is a back end view of the ring shown in FIG. 1;  
 FIG. 4 is a front end view of the ring shown in FIG. 1;  
 FIG. 5 is a top view of the ring shown in FIG. 1;  
 FIG. 6 is bottom view of the ring shown in FIG. 1;  
 FIG. 7 is a perspective view of a second embodiment of my design for a ring;  
 FIG. 8 is a side view of the ring shown in FIG. 7, the opposite side being identical thereto;  
 FIG. 9 is a back end view of the ring shown in FIG. 7;  
 FIG. 10 is a front end view of the ring shown in FIG. 7;  
 FIG. 11 is a top view of the ring shown in FIG. 7;  
 FIG. 12 is a bottom view of the ring shown in FIG. 7;  
 FIG. 13 is a perspective view of a third embodiment of my design for a ring;  
 FIG. 14 is a side view of the ring shown in FIG. 13, the opposite side being identical thereto;  
 FIG. 15 is a back end view of the ring shown in FIG. 13;  
 FIG. 16 is a front end view of the ring shown in FIG. 13;  
 FIG. 17 is a top view of the ring shown in FIG. 13; and,  
 FIG. 18 is bottom view of the ring shown in FIG. 13.



**1 Claim, 3 Drawing Sheets**




**FIG.1**




**FIG.2**




**FIG.3**



**FIG.4**




**FIG.5**





**FIG.6**


**FIG. 7**




**FIG. 8**




**FIG. 9**



**FIG. 10**




**FIG. 11**





**FIG. 12**


**FIG.13**




**FIG.14**




**FIG.15**



**FIG.16**



**FIG.17**



**FIG.18**