

US00D504657S

(12) **United States Design Patent** (10) **Patent No.:** **US D504,657 S**
Allen et al. (45) **Date of Patent:** **** May 3, 2005**

(54) **TIRE TREAD**

(75) Inventors: **Paul Bryson Allen**, Akron, OH (US);
Craig David Miller, Copley, OH (US);
Paul Bryan Maxwell, Kent, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/209,817**

(22) Filed: **Jul. 21, 2004**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579**

(58) **Field of Search** D12/551, 552,
D12/553, 574, 579, 586, 587, 588, 594,
595, 598, 600, 601, 900, 901; 152/209.1,
209.9, 209.13, 209.25, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D313,580 S	*	1/1991	Himuro et al.		D12/594
D325,013 S	*	3/1992	Vaughn-Lindner et al.		D12/600
D325,186 S	*	4/1992	Pulte, Jr.		D12/600
D350,102 S	*	8/1994	Evraert et al.		D12/600
D371,096 S	*	6/1996	Manestar		D12/594
D384,918 S	*	10/1997	Guspodin et al.		D12/595
D387,719 S	*	12/1997	Brown et al.		D12/600
D429,479 S		8/2000	Fierro et al.		D12/147
D488,772 S		4/2004	Kunos et al.		D12/602
6,736,175 B2	*	5/2004	Carra et al.		152/209.18
D498,208 S	*	11/2004	Cazin-Bourguignon et al.		D12/600

OTHER PUBLICATIONS

Co-op Country Squire A/P Tire, 2002 Tread Design Guide, Jan. 2002, p. 77. 1/1.*

American Radial L/T Prospector A/T Tire, 2003 Tread Design Guide, Jan. 2002, p. 68. 1/5.*

Star Trail Buster Radial APR Tire, 2003 Tread Design Guide, Jan. 2002, p. 101. 1/5.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof; the opposite side being a identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having the depth shown at the top and bottom of FIG. 2.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4