

US00D504866S

(12) **United States Design Patent** (10) **Patent No.:** **US D504,866 S**
Collette et al. (45) **Date of Patent:** **** May 10, 2005**

(54) **TIRE TREAD**

(75) Inventors: **Jean Joseph Marie Victor Collette**,
Arlon (BE); **Richard Heinen**,
Habay-la-Neuve (BE); **Pascale de**
Briey-Terlinden, Atttert (BE)

(73) Assignee: **The Goodyear Tire & Rubber**
Company, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,796**

(22) Filed: **May 3, 2004**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/553**

(58) **Field of Search** D12/544, 546-556,
D12/559, 563-567, 600-603; 152/209.1,
209.8, 209.28

(56) **References Cited**

U.S. PATENT DOCUMENTS

D444,427 S	7/2001	Heinen		D12/146
D451,068 S	* 11/2001	Heinen et al.		D12/547
D451,853 S	* 12/2001	Heinen et al.		D12/553
D452,198 S	12/2001	Heinen et al.		D12/146

OTHER PUBLICATIONS

Marangoni Trio Tire, 2003 Tread Design Guide, Jan. 2003,
p. 38. 4/1.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof; the opposite side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

All tread grooves, represented by dark stippled surface shading in FIG. 4, have the depth shown at the top and bottom of FIG. 2.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4