



US00D504966S

(12) **United States Design Patent**
Osiecki et al.

(10) **Patent No.:** **US D504,966 S**

(45) **Date of Patent:** **** May 10, 2005**

(54) **FLASHLIGHT**

(75) Inventors: **Scott Osiecki**, Skaneateles, NY (US);
Robert Englert, Syracuse, NY (US)

(73) Assignee: **Eveready Battery Company, Inc.**, St.
Louis, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/212,759**

(22) Filed: **Sep. 8, 2004**

(51) **LOC (7) Cl.** **26-02**

(52) **U.S. Cl.** **D26/37**

(58) **Field of Search** D26/37-50; 362/157,
362/158, 171-174, 183-208

(56) **References Cited**

U.S. PATENT DOCUMENTS

D407,509 S	*	3/1999	Yuen	D26/37
D476,437 S	*	6/2003	Dalton et al.	D26/37
D480,492 S	*	10/2003	Wu	D26/38
D489,703 S	*	5/2004	Tien	D26/38
D493,007 S	*	7/2004	Rugendyke et al.	D26/37

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(57) **CLAIM**

We claim the ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a left front view of the flashlight of the present invention;

FIG. 2 is a right rear view of the flashlight of the present invention;

FIG. 3 is a top view of the flashlight of the present invention;

FIG. 4 is a bottom view of the flashlight of the present invention;


FIG. 5 is a view of the right side of the flashlight of the present invention;

FIG. 6 is a view of the left side of the flashlight of the present invention;

FIG. 7 is a front view of the flashlight of the present invention; and,

FIG. 8 is a rear view of the flashlight of the present invention.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8