



US00D504971S

(12) **United States Design Patent**  
**Dalton et al.**

(10) **Patent No.:** **US D504,971 S**  
(45) **Date of Patent:** **\*\* May 10, 2005**

(54) **FLASHLIGHT**

D451,225 S \* 11/2001 Chien ..... D26/49  
D497,020 S \* 10/2004 Lee ..... D26/49

(75) Inventors: **David R. Dalton**, Turramurra (AU);  
**John R. Brown**, Mosman (AU);  
**Joseph P. Gardner**, North Ridgeville,  
OH (US)

\* cited by examiner

*Primary Examiner*—Marcus A. Jackson  
(74) *Attorney, Agent, or Firm*—Stewart A. Fraser

(73) Assignee: **Eveready Battery Company, Inc.**, St.  
Louis, MO (US)

(57) **CLAIM**

We claim the ornamental design for a flashlight, as shown  
and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/207,072**

FIG. 1 is an upper front perspective view of the flashlight of  
the present invention;

(22) Filed: **Jun. 8, 2004**

FIG. 2 is a plan view of the flashlight of the present  
invention;

(30) **Foreign Application Priority Data**

Dec. 9, 2003 (AU) ..... 4374/2003

FIG. 3 is an underneath view of the flashlight of the present  
invention;

(51) **LOC (7) Cl.** ..... **26-02**

FIG. 4 is a right side view of the flashlight of the present  
invention;

(52) **U.S. Cl.** ..... **D26/49**

FIG. 5 is a left side view of the flashlight of the present  
invention;

(58) **Field of Search** ..... D26/37-50; 362/157,  
362/158, 171-174, 183-208

FIG. 6 is a front view of the flashlight of the present  
invention; and,

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

FIG. 7 is a rear view of the flashlight of the present  
invention.

D445,934 S \* 7/2001 Dalton et al. .... D26/49

D449,703 S \* 10/2001 Dalton et al. .... D26/49

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7