

US00D505087S

(12) **United States Design Patent**
Ricci et al.

(10) **Patent No.:** **US D505,087 S**
(45) **Date of Patent:** **** May 17, 2005**

- (54) **ENERGY MONITORING DEVICE**
- (75) Inventors: **Marc A. Ricci**, Victoria (CA); **Stewart J. Harding**, Victoria (CA)
- (73) Assignee: **Power Measurement Ltd.** (CA)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/212,032**
- (22) Filed: **Aug. 25, 2004**
- (51) **LOC (7) Cl.** **10-04**
- (52) **U.S. Cl.** **D10/75**
- (58) **Field of Search** D10/75; 324/72.5, 324/76.11, 103, 107, 127, 147, 156, 157

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D251,183 S * 2/1979 Howard D10/75
- D251,484 S * 4/1979 Howard D10/75
- 5,612,620 A * 3/1997 Heuvel 324/127

OTHER PUBLICATIONS

H8035/8036 Series Enercept® Networked Power Meters (Modbus® RTU) spec sheet, 2 pages, ©2004 Veris Industries.

H8100 Series Commercial Energy Consumption Meters spec sheet, 4 pages, ©2004 Veris Industries.

Hawkeye 8051/8053 Pulse Output kWh Transducers, Installation Instructions, 5 pages, Veris Industries, Portland Oregon.

GE Industrial Systems, “EPM 1000 Sub-meter” Engineered for Retrofit & New Construction, brochure, General Electric Company, Plainville, CT, ©2004 General Electric Company, U.S.A., 4 pages.

GE Industrial Systems, “EPM 4000 Sub-meter” Multi-tenant Digital Electric Meter, brochure, General Electric Company, Plainville, CT, ©2004 General Electric Company, U.S.A. 4 pages.

Square D Schneider Electric “Powerlogic® Energy Meter” spec sheet, ©2002 Schneider Electric, Apr., 2002, 2 pages.

Electrex Preliminary Eco Logger “Connection to the System”, data sheet, 2 pages.

Electrex Preliminary Eco Logger, “Integrated system for collection, recording and transmission of energy consumption data”, data sheet, 2 pages.

E-Mon D-Mop “Three-Phase KWH Meter Specifications”, 4 pages, E-Mon Corporation.

E-Mon-IMS Outdoor “Electronic KWH Meter Specifications”, 1 page, E-Mon Corporation.

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

The ornamental design for an energy monitoring device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of an energy monitoring device;

FIG. 2 is a front side view thereof;

FIG. 3 is a top side view thereof;

FIG. 4 is a left view thereof;

FIG. 5 is a right view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a back view thereof;

FIG. 8 is a top perspective view of a second embodiment of an energy monitoring device;

FIG. 9 is a front side view thereof;

FIG. 10 is a top view thereof;

FIG. 11 is a left view thereof;


FIG. 12 is a right view thereof;

FIG. 13 is a bottom view thereof; and,

FIG. 14 is a back view thereof.

The current and voltage conductors have been shown in various positions throughout the views to illustrate the flexible nature thereof.

1 Claim, 12 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 6




Fig. 4




Fig. 5




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 13




Fig. 11




Fig. 12




Fig. 14