

US00D505144S

(12) **United States Design Patent** (10) **Patent No.:** **US D505,144 S**  
**Raab et al.** (45) **Date of Patent:** **\*\* May 17, 2005**

(54) **LASER SCANNER FOR A PORTABLE COORDINATE MEASUREMENT MACHINE**

(75) Inventors: **Simon Raab**, Maitland, FL (US); **Seyed Ali Sajedi**, Winter Park, FL (US); **Kenneth J. Hasloeher**, Deltona, FL (US); **Marc Barber**, Deltona, FL (US)

(73) Assignee: **Faro Technologies, Inc.**, Lake Mary, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/192,692**

(22) Filed: **Oct. 28, 2003**

**Related U.S. Application Data**

(60) Division of application No. 29/175,947, filed on Feb. 13, 2003, which is a continuation-in-part of application No. 29/166,332, filed on Aug. 26, 2002, now Pat. No. Des. 479,544, which is a continuation-in-part of application No. 29/155,790, filed on Feb. 14, 2002, now Pat. No. Des. 472,824.

(51) **LOC (7) Cl.** ..... **15-99**

(52) **U.S. Cl.** ..... **D15/199**

(58) **Field of Search** ..... D15/199; 74/409.02; 33/503-506, 1 M, 556-561; 702/150

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,593,470 A *	6/1986	Davies	33/1 CC
4,676,002 A *	6/1987	Slocum	33/1 MP
4,937,759 A *	6/1990	Vold	700/262
5,050,608 A *	9/1991	Watanabe et al.	600/429
5,086,401 A *	2/1992	Glassman et al.	700/259
5,189,797 A *	3/1993	Granger	33/1 MP
D344,279 S *	2/1994	Koyama et al.	D15/199
5,412,880 A *	5/1995	Raab	33/503
D377,932 S *	2/1997	Schena et al.	D14/411
5,611,147 A *	3/1997	Raab	33/503

5,724,264 A *	3/1998	Rosenberg et al.	702/152
5,768,792 A *	6/1998	Raab	33/503
5,807,449 A *	9/1998	Hooker et al.	156/64
5,829,148 A *	11/1998	Eaton	33/503
D410,477 S *	6/1999	Nihei et al.	D15/199
5,978,748 A *	11/1999	Raab	702/150
D423,534 S *	4/2000	Raab et al.	D15/199
6,131,299 A *	10/2000	Raab et al.	33/503
6,151,789 A *	11/2000	Raab et al.	33/503
6,546,643 B2 *	4/2003	Lotze et al.	33/559

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Cantor Colburn LLP


(57) **CLAIM**

The ornamental design for a laser scanner for a portable coordinate measurement machine, as shown.

**DESCRIPTION**

FIG. 1 is a front perspective view of our new laser scanner for a portable coordinate measurement machine;  
 FIG. 2 is a rear perspective view thereof;  
 FIG. 3 is a front view thereof;  
 FIG. 4 is a rear view thereof;  
 FIG. 5 is a right side view thereof with the left side view being a mirror image thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a front perspective view of a second embodiment of our new laser scanner for a portable coordinate measurement machine;  
 FIG. 9 is a rear perspective view thereof;  
 FIG. 10 is a front view thereof;  
 FIG. 11 is a rear view thereof;  
 FIG. 12 is a right side view thereof with the left side view being a mirror image thereof;  
 FIG. 13 is a top view thereof; and,  
 FIG. 14 is a bottom view thereof.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14