

US00D505164S

(12) **United States Design Patent** (10) **Patent No.:** **US D505,164 S**  
**McCabe** (45) **Date of Patent:** **\*\* May 17, 2005**

(54) **SET OF TRIANGULAR PRISMATIC BLOCKS HAVING INDICIA ON TWO FACES**

(76) Inventor: **James N. McCabe**, P.O. Box 86,  
Paloma, IL (US) 62359-0086

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/175,143**

(22) Filed: **Jan. 29, 2003**

(51) **LOC (7) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/505**; D19/59

(58) **Field of Search** ..... D21/484-505;  
D19/59; 446/85, 117, 122; 273/299; 434/157;  
430/138; 229/120.36

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D8,466 S	*	7/1875	Lyman	.....	D21/499
353,537 A	*	11/1886	Burns	.....	229/120.36
717,105 A	*	12/1902	Mansfield	.....	273/299
1,465,637 A	*	8/1923	Goss	.....	446/117
1,895,611 A	*	1/1933	Doak	.....	446/122
3,640,531 A		2/1972	Penders		
3,670,427 A	*	6/1972	Stolpen	.....	434/157
4,084,816 A		4/1978	Shafer		
4,171,815 A		10/1979	Sturtz		
4,741,538 A		5/1988	Lewis		
4,758,495 A	*	7/1988	Yamaguchi et al.	.....	430/138
4,773,651 A		9/1988	Papapavlou		
5,145,183 A		9/1992	Gates		
5,429,371 A		7/1995	Bledsoe		

**OTHER PUBLICATIONS**

Childcraft, p. 7, 1993.\*

\* cited by examiner

*Primary Examiner*—Raphael Barkai  
(74) *Attorney, Agent, or Firm*—Richard L. Miller

(57) **CLAIM**

The ornamental design for: set of triangular prismatic blocks having indicia on two faces, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of one block in the set having an upper case A and a lower case a indicia on a front face and an upper case Z and a lower case z indicia on a rear face, showing my new design, it being understood that all blocks contained in a set, of which there are 14, are identical in shape and differ only to the extent of the specified combinations of indicia residing on their front and rear faces.

FIG. 2 is a left side of any block, a right side being identical; FIG. 3 is a bottom view of any block;

FIG. 4 is a front view taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being identical;

FIG. 5 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 30;

FIG. 6 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 29;

FIG. 7 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 28;

FIG. 8 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 27;

FIG. 9 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 26;

FIG. 10 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 25;

FIG. 11 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 24;

FIG. 12 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 23;




FIG. 13 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 22;

FIG. 14 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 21;

FIG. 15 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 20;

FIG. 16 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 19;

FIG. 17 is a front view of a block taken in the direction of arrow F in FIG. 2 the opposite side view taken in the direction of arrow R being depicted by FIG. 18;

FIG. 18 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 17;

FIG. 19 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 16;

FIG. 20 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 15;

FIG. 21 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 14;

FIG. 22 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 13;

FIG. 23 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 12;

FIG. 24 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 11;

FIG. 25 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 10;

FIG. 26 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 9;

FIG. 27 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 8;

FIG. 28 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 7;

FIG. 29 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 6; and,

FIG. 30 is a rear view of a block taken in the direction of arrow R in FIG. 2 the opposite side view taken in the direction of arrow F being depicted by FIG. 5.

**1 Claim, 3 Drawing Sheets**




Fig .1




Fig .2




Fig .3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8



Fig. 9




Fig. 10



Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16



Fig. 17




Fig. 18






Fig. 19




Fig. 20



Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26



Fig. 27




Fig. 28




Fig. 29




Fig. 30