

US00D505439S

(12) **United States Design Patent**
Liiv

(10) **Patent No.:** **US D505,439 S**

(45) **Date of Patent:** **** May 24, 2005**

(54) **COMBINATION OF CAMERA AND STAND**

(76) **Inventor:** **Tiit Liiv**, Louhikkotie 20C d 146,
FIN-00770 Helsinki (FI)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/176,558**

(22) **Filed:** **Feb. 25, 2003**

(30) **Foreign Application Priority Data**

Aug. 27, 2002 (FI) 20020511 M

(51) **LOC (7) Cl.** **16-01**

(52) **U.S. Cl.** **D16/208; D16/202; D16/203;**
D16/242

(58) **Field of Search** **D16/200–205,**
D16/208, 218, 242; 248/187.1; 358/909.1;
396/419, 427, 428, 433, 535–541

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,633,681 A * 5/1997 Baxter et al. 348/373
D385,571 S * 10/1997 Abrams D16/203

D399,860 S * 10/1998 Huang D16/202
D475,385 S * 6/2003 Christianson D16/202
D477,622 S * 7/2003 Phelps et al. D16/202
D484,160 S * 12/2003 Kangasmaa D16/203

* cited by examiner

Primary Examiner—Adir Aronovich



(57) **CLAIM**

The ornamental design for a combination of camera and stand, as shown and described.

DESCRIPTION

FIG. 1 is a perspective top and front view of a combination of camera and stand showing my new design; FIG. 2 is a perspective bottom and back view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is bottom plan view thereof; FIG. 6 is a back elevational view thereof; and, FIG. 7 is a right side elevational view thereof, the undisclosed left side being a mirror image.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7