

(12) **United States Design Patent** (10) **Patent No.:** **US D505,525 S**  
**Tash** (45) **Date of Patent:** **\*\* May 24, 2005**

(54) **PIPE FLUSHING DEVICE**

D311,076 S \* 10/1990 Kaye ..... D32/14

(75) Inventor: **George Tash**, Somis, CA (US)

\* cited by examiner

(73) Assignee: **Tash Family Trust**, Moorpark, CA (US)

*Primary Examiner*—Robert A. Delehanty  
(74) *Attorney, Agent, or Firm*—Lyon & Harr, LLP; Mark A. Watson

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/211,774**

The ornamental design for a pipe flushing device, as shown.

(22) Filed: **Aug. 19, 2004**

**DESCRIPTION**

(51) **LOC (7) Cl.** ..... **15-05**

(52) **U.S. Cl.** ..... **D32/14**

(58) **Field of Search** ..... D32/14, 17, 25;  
4/255.01, 255.05, 255.11; 137/15.07; 134/168 R,  
168 C, 167 C, 166 C; 15/104.05, 104.062,  
104.31; D8/61–62

FIG. 1 is a first perspective view of a pipe flushing device showing my new design;

FIG. 2 is a second perspective view thereof;

FIG. 3 is a top plan view thereof; and,

FIG. 4 is a bottom plan view thereof.


Note that the pipe flushing device is radially symmetric, and that the rear plan view and side plan views are substantially similar to the perspective views of FIG. 1 and FIG. 2, and have not been included herein.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


4,957,123 A \* 9/1990 McHugh ..... 134/167 C

**1 Claim, 3 Drawing Sheets**







***FIG. 1***



**FIG. 2**



**FIG. 3**



**FIG. 4**