

US00D505630S

(12) **United States Design Patent**  
**Snider et al.**

(10) **Patent No.:** **US D505,630 S**

(45) **Date of Patent:** **\*\* May 31, 2005**

(54) **SUPPORT ASSEMBLY**

(75) Inventors: **G. Scott Snider**, Bel Air, MD (US);  
**Oleksiy P. Sergyeyenko**, Brockville  
(CA); **Stefano F. DeCecco**, Ottawa  
(CA)

(73) Assignee: **Black & Decker Inc.**, Newark, DE  
(US)

(\*\*) Term: **14 Years**

5,575,073 A	*	11/1996	von Wedemayer	.....	33/365
D396,817 S	*	8/1998	Webb	.....	D10/74
D418,434 S	*	1/2000	Krantz	.....	D10/69
6,137,568 A	*	10/2000	Ohtomo et al.	.....	356/149
6,177,987 B1	*	1/2001	Ting	.....	356/148
6,249,983 B1	*	6/2001	Wright et al.	.....	33/286
D457,446 S	*	5/2002	Kallabis	.....	D10/69
6,427,347 B1	*	8/2002	Butler, Sr.	.....	33/286
D469,369 S	*	1/2003	Durkin	.....	D10/69
D479,979 S	*	9/2003	Kovacik et al.	.....	D8/358
D491,080 S	*	6/2004	Wu	.....	D10/69

**OTHER PUBLICATIONS**

Popular Mecahnics.com [http://popularmechanics.com/home\\_improvement/tools/2004/8/bd\\_laser\\_levels/](http://popularmechanics.com/home_improvement/tools/2004/8/bd_laser_levels/) Dec. 9, 2004.\*

\* cited by examiner

*Primary Examiner*—Jeffrey Asch  
*Assistant Examiner*—Austin Murphy  
(74) *Attorney, Agent, or Firm*—Wesley W. Muller

(21) Appl. No.: **29/210,970**

(22) Filed: **Aug. 9, 2004**

(51) **LOC (7) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/74; D10/69**

(58) **Field of Search** ..... D8/358, 359, 354;  
D10/74, 69, 66, 62; 33/290, 286, 293, 365;  
242/377, 378; 248/186.1, 676; 356/139.8,  
3, 149, 148, 142; 219/121.78

(57) **CLAIM**

The ornamental design for a support assembly, as shown and described.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

D98,683 S	*	2/1936	Langsner	.....	D10/74
D189,212 S	*	11/1960	Davis	.....	D10/66
3,435,532 A	*	4/1969	Brasier	.....	33/645
3,604,371 A	*	9/1971	Cavalucci	.....	108/156
4,035,084 A	*	7/1977	Ramsay	.....	356/139.08
4,088,291 A	*	5/1978	Delaplaine et al.	.....	248/186.1
4,629,321 A	*	12/1986	Hart et al.	.....	356/248
4,948,086 A	*	8/1990	Buol et al.	.....	248/676
D311,145 S	*	10/1990	Hayashi	.....	D10/66
4,964,218 A	*	10/1990	Morghen	.....	33/293
5,208,438 A	*	5/1993	Underberg	.....	219/121.78
D348,227 S	*	6/1994	Nielsen et al.	.....	D10/69
5,501,018 A	*	3/1996	Porter	.....	33/290
5,572,797 A	*	11/1996	Chase	.....	33/286

**DESCRIPTION**

FIG. 1 is a perspective view of a support assembly according to the invention.  
FIG. 2 is a front elevational view thereof.  
FIG. 3 is a rear elevational view thereof.  
FIG. 4 is a left elevational view thereof.  
FIG. 5 is a right elevational view thereof.  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7