

US00D505655S

(12) **United States Design Patent** (10) **Patent No.:** **US D505,655 S**
Rossignaud (45) **Date of Patent:** **** May 31, 2005**

(54) **CENTER TREAD FOR MOTORCYCLE TIRE**

(75) Inventor: **Eric Rossignaud, Villebret (FR)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/199,067**

(22) Filed: **Feb. 9, 2004**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/536; D12/544**

(58) **Field of Search** **D12/534-538, D12/544, 550, 569-573, 579; 152/209.1, 209.11, 209.12, 209.13, 209.28**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D51,930 S	*	4/1918	Goetze		D11/38
D54,255 S	*	12/1919	Gates		D12/570
D56,911 S	*	1/1921	Crow		D12/536
D63,135 S	*	10/1923	Hottel		D12/503
D392,225 S	*	3/1998	Lo		D12/536
D440,912 S	*	4/2001	Ratliff, Jr.		D12/503

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental Design for a center tread for motorcycle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a center tread for motorcycle tire showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4