

US00D505758S

(12) **United States Design Patent** (10) **Patent No.:** **US D505,758 S**  
**Rohmer et al.** (45) **Date of Patent:** **\*\* May 31, 2005**

(54) **ELECTRICAL CONTROL DEVICE**

(75) Inventors: **Richard M. Rohmer**, Jordan, NY (US);  
**Patrick J. Murphy**, Marcellus, NY (US); **Michael R. Bryndzia**,  
Baldwinsville, NY (US)

(73) Assignee: **Pass & Seymour, Inc.**, Syracuse, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/203,132**

(22) Filed: **Apr. 8, 2004**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D30/156**

(58) **Field of Search** ..... D13/139.3, 137.2,  
D13/177, 156, 152, 184; D8/353, 350-1;  
D10/64; 174/66, 67; 361/43, 46, 49; 217/56;  
220/242, 305, 375, 3.8; 439/133, 144; 399/44

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,953,933	A *	5/1976	Goldstein	.....	40/642.02
D269,969	S *	8/1983	Doyle et al.	.....	D13/139.3
4,451,101	A *	5/1984	Davis	.....	439/144
4,603,932	A *	8/1986	Heverly	.....	439/147
D370,460	S *	6/1996	Boesel et al.	.....	D13/137.2
5,572,406	A *	11/1996	Strang et al.	.....	361/707
D410,437	S *	6/1999	Mowery	.....	D13/177
5,932,845	A *	8/1999	Lacy	.....	174/67
6,046,405	A *	4/2000	Obermann	.....	174/57
6,068,496	A *	5/2000	Penate	.....	439/140
6,184,466	B1 *	2/2001	Eder et al.	.....	174/53
6,442,007	B1 *	8/2002	Li	.....	361/42
D470,108	S *	2/2003	Daoxian et al.	.....	D13/139.3

\* cited by examiner

*Primary Examiner*—Stella Reid  
*Assistant Examiner*—Susan M Lee

(74) *Attorney, Agent, or Firm*—Bond, Schoeneck & King  
PLLC; William Greener

(57) **CLAIM**

The ornamental design for an electrical control device, as shown and described.

**DESCRIPTION**

The electrical control device mounts to an electrical box and is surrounded by a decorative faceplate to form an electrical device assembly.

FIG. 1 is a perspective view of an aspect of the electrical control device according to a decorative embodiment of the invention;

FIG. 2 is a front elevation view of the electrical control device shown in FIG. 1;

FIG. 3 is a top plan view of the electrical control device shown in FIG. 2;

FIG. 4 is a bottom plan view of the electrical control device shown in FIG. 2;


FIG. 5 is a left side elevation view of the electrical control device shown in FIG. 2;


FIG. 6 is a right side elevation view of the electrical control device shown in FIG. 2;

FIG. 7 is a perspective view of another aspect of the electrical control device according to a decorative embodiment of the invention; and,

FIG. 8 is a perspective view of another aspect of the electrical control device according to a decorative embodiment of the invention.

**1 Claim, 3 Drawing Sheets**





**FIG. 1**




FIG. 3




FIG. 5




FIG. 2




FIG. 6




FIG. 4




FIG.7




FIG.8