



US00D505977S

(12) **United States Design Patent**
Koreska

(10) **Patent No.:** **US D505,977 S**
(45) **Date of Patent:** **** Jun. 7, 2005**

(54) **CORRECTION PEN**

(75) Inventor: **Peter Koreska**, Vienna (AT)

(73) Assignee: **Kores Holding Zug AG**, Zug (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/212,320**

(22) Filed: **Aug. 31, 2004**

(30) **Foreign Application Priority Data**

Mar. 2, 2004 (EM) 000144928

(51) **LOC (8) Cl.** **19-06**

(52) **U.S. Cl.** **D19/53; D19/43; D19/66**

(58) **Field of Search** D19/35, 36, 41-51,
D19/53-58, 66, 65, 81-85; 401/6, 7, 88,
98, 99-102, 103-117, 209, 213, 196, 198,
202, 186, 260-262; 222/189.06, 206, 212,
544, 548, 156, 523, 527, 577, 579

(56) **References Cited**

U.S. PATENT DOCUMENTS

D319,469 S	*	8/1991	Rutter	D19/53
D329,253 S	*	9/1992	Sekiguchi	D19/43
D353,397 S	*	12/1994	Banik	D19/66
5,679,156 A	*	10/1997	Matsumaru	156/577
D388,119 S	*	12/1997	Kuramoto	D19/51
D394,876 S	*	6/1998	Chuang	D19/53
D420,387 S	*	2/2000	Ku	D19/57
D467,617 S	*	12/2002	Soetewey	D19/69
D491,986 S	*	6/2004	Bain	D19/69
D493,484 S	*	7/2004	Shova et al.	D19/43
D498,790 S	*	11/2004	Shova et al.	D19/43

* cited by examiner

Primary Examiner—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop LLP

(57) **CLAIM**

The ornamental design for a correction pen, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of the correction pen according to my design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof, the right side view being a mirror image thereof;

FIG. 4 is a front view thereof, with the cap member removed for ease of illustration;


FIG. 5 is a perspective view of FIG. 4;

FIG. 6 is a perspective view of the cap member shown separately for ease of illustration; and,

FIG. 7 is a perspective view of a second embodiment of my design of FIG. 1, the only difference being the opaque nature of the cap member, all other features being identical to the first embodiment.

In FIGS. 1-3 and 6, the cap of the correction pen is illustrated to indicate that light may pass substantially there-through, such as where the cap is made of a material that is transparent, translucent, or the like. The second embodiment, which is illustrated in FIG. 7, shows the cap made of a material that does not substantially transmit light there-through. With the exception that the cap of the correction pen of the second embodiment does not substantially transmit light therethrough, it is understood that the remaining views of the second embodiment are the same as those presented in connection with first embodiment.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6

FIG. 5




FIG. 7