

(12) **United States Design Patent** (10) **Patent No.:** **US D506,012 S**
Crump (45) **Date of Patent:** **** Jun. 7, 2005**

(54) **TWO-PIECE PAVER SYSTEM**

(76) Inventor: **Thomas T. Crump**, 107 Chadwick Dr.,
 Charleston, SC (US) 29407

(**) Term: **14 Years**

(21) Appl. No.: **29/198,220**

(22) Filed: **Jan. 27, 2004**

(51) **LOC (8) Cl.** **25-01**

(52) **U.S. Cl.** **D25/112**

(58) **Field of Search** D25/112–118,
 D25/164, 147–149, 199; D21/483–486,
 499–500; 404/17, 19–20, 27–31, 34–42;
 52/102, 596, 574, 612, 603–609

(56) **References Cited**

U.S. PATENT DOCUMENTS

254,269 A	2/1882	Brown	
449,739 A *	4/1891	Hazelton	404/41
1,961,677 A *	6/1934	Serra	404/38
3,427,936 A	2/1969	Van Der Meijden	
3,435,576 A	4/1969	Giannelia	
3,466,986 A *	9/1969	Biller	404/41
D270,189 S	8/1983	Khoo	
4,537,001 A	8/1985	Uppström	
4,773,790 A	9/1988	Hagenah	
4,919,565 A	4/1990	Göpfert	
5,046,887 A	9/1991	Fontana et al.	
5,244,303 A	9/1993	Hair	
D431,870 S	10/2000	Ziegler, Jr.	
D443,074 S	5/2001	Azar	
D454,402 S	3/2002	Abbrancati	
D460,830 S	7/2002	Unger	

* cited by examiner

Primary Examiner—Robert A Delehanty

(74) *Attorney, Agent, or Firm*—Nelson Mullins Riley &
 Scarborough LLP

(57) **CLAIM**

The ornamental design of a two-piece paver system, sub-
 stantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first paver of the design of
 the present invention.

FIG. 2 is a left side elevation view of the first paver
 illustrated in FIG. 1, with the right side elevation view being
 identical thereto.

FIG. 3 is a front elevation view of the first paver illustrated
 in FIG. 1, with the rear elevation view being identical
 thereto.

FIG. 4 is a top view of the first paver illustrated in FIG. 1.
 FIG. 5 is a bottom view of the first paver illustrated in FIG.
 1.

FIG. 6 is a top plan view shown on a reduces scale of the first
 paver illustrated in FIG. 1 arranged with a multitude of like
 pavers in broken lines. The pattern, as illustrated, is repeti-
 tive throughout the width and length of the design;

FIG. 7 is a perspective view of the second paver of the
 design of the present invention according to a first embodi-
 ment.

FIG. 8 is a left side elevation view of the second paver
 illustrated in FIG. 7, with the right side elevation view being
 identical thereto.

FIG. 9 is a front elevation view of the second paver
 illustrated in FIG. 7, with the rear elevation view being
 identical thereto.

FIG. 10 is a top view of the second paver illustrated in FIG.
 7.

FIG. 11 is a bottom view of the second paver illustrated in
 FIG. 7.

FIG. 12 is a top plan view shown on a reduces scale of the
 first paver illustrated in FIG. 7 arranged with a multitude of
 like pavers in broken lines. The pattern, as illustrated, is
 repetitive throughout the width and length of the design;

FIG. 13 is a perspective view of a second paver of the design
 of the present invention according to a second embodiment.

FIG. 14 is a left side elevation view of the second paver
 illustrated in FIG. 13, with the right side elevation view
 being identical thereto.




FIG. **15** is a front elevation view of the second paver illustrated in FIG. **13**, with the rear elevation view being identical thereto.

FIG. **16** is a top view of the second paver illustrated in FIG. **13**.

FIG. **17** is a bottom view of the second paver illustrated in FIG. **13**.

FIG. **18** is a top plan view shown on a reduces scale of the first paver illustrated in FIG. **13** arranged with a multitude of like pavers in broken lines. The pattern, as illustrated, is repetitive throughout the width and length of the design;

FIG. **19** is a top plan view shown on a reduces scale of the first paver illustrated in FIG. **1** and the second paver illustrated in FIG. **7** arranged with a multitude of like pavers in broken lines. The pattern, as illustrated, is repetitive throughout the width and length of the design; and,

FIG. **20** is a top plan view shown on a reduces scale of the first paver illustrated in FIG. **1** and the second paver illustrated in FIG. **13** arranged with a multitude of like pavers in broken lines. The pattern, as illustrated, is repetitive throughout the width and length of the design.

The portions shown in broken lines do not form part of the claimed design.

1 Claim, 8 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 506,012 S
DATED : June 7, 2005
INVENTOR(S) : Thomas T. Crump

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [57], **DESCRIPTION,**

FIG 6, line 20, please change the word "reduces" to -- reduced --.

FIG 12, line 37, please change the word "reduces" to -- reduced --.

FIG 18, line 8, please change the word "reduces" to -- reduced --.

FIG 18, line 9, please delete the word "first" and replace with -- second --.

FIG 19, line 12, please change the word "reduces" to -- reduced --.

FIG 20, line 1, please change the word "reduces" to -- reduced --.

Signed and Sealed this

Fourth Day of October, 2005

A handwritten signature in black ink on a light gray dotted background. The signature is written in a cursive style and reads "Jon W. Dudas".

JON W. DUDAS

Director of the United States Patent and Trademark Office