

US00D506083S

(12) **United States Design Patent**
Tuman et al.

(10) **Patent No.:** **US D506,083 S**
(45) **Date of Patent:** **** Jun. 14, 2005**

(54) **VEHICLE SEAT**
(75) Inventors: **William Tuman**, Colona, IL (US);
Edward Stulik, Granite Bay, CA (US)

D442,400 S * 5/2001 Simons et al. D6/500
D482,882 S * 12/2003 Murphy D6/356
D483,191 S * 12/2003 Murphy D6/356
D485,446 S * 1/2004 Stulik D6/356

(73) Assignee: **Sears Manufacturing Co.**, Davenport,
IA (US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Ruth McInroy

Assistant Examiner—Terrence Huang

(21) Appl. No.: **29/187,282**

(74) *Attorney, Agent, or Firm*—Niro, Scavone, Haller &
Niro

(22) Filed: **Jul. 29, 2003**

(57) **CLAIM**

(51) **LOC (8) Cl.** **06-01**

We claim the ornamental design of a vehicle seat, as shown
and described.

(52) **U.S. Cl.** **D6/356**

DESCRIPTION

(58) **Field of Search** D6/356, 500, 502,
D6/368, 334–369, 375; 297/17, 350, 352,
452.24, 452.26, 452.34, 452.35

FIG. 1 is a perspective view of a vehicle seat of my new
design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a side view thereof; and,

FIG. 5 is a rear elevational view thereof.

The fragmented crosshatch pattern shown in the drawing is
understood to repeat uniformly throughout the circum-
scribed areas.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,191 S * 5/1989 Anello et al. D6/502
D303,878 S * 10/1989 Goldsmith D6/368
D367,982 S * 3/1996 Stirling et al. D6/500
D398,172 S * 9/1998 Greaves et al. D6/500
D411,381 S * 6/1999 Greaves et al. D6/368
D439,451 S * 3/2001 Simons et al. D6/502

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

