

US00D506151S

(12) **United States Design Patent**
Roher et al.

(10) **Patent No.:** **US D506,151 S**
(45) **Date of Patent:** **** Jun. 14, 2005**

(54) **CONTROL DEVICE**

(75) Inventors: **Michael Allen Roher**, Fort Wayne, IN (US); **Laquerita Jo Blackmon**, Fort Wayne, IN (US); **Stacy L. Benjamin**, Evanston, IL (US)

(73) Assignee: **Carrier Corporation**, Farmington, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/199,468**

(22) Filed: **Feb. 13, 2004**

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/50**

(58) **Field of Search** D10/50; 236/46 R, 236/47, 49.3, 78 R, 94 D, 94, 1 C; 337/345, 392, 398

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,107,918 A * 4/1992 McFarlane et al. 236/46 R

D403,972 S * 1/1999 Gaskell et al. D10/50
5,934,554 A * 8/1999 Charles et al. 236/46 R
6,460,774 B2 * 10/2002 Sumida et al. 236/94

* cited by examiner

Primary Examiner—Antoine D. Davis

(57) **CLAIM**

The ornamental design for a control device, as shown and described.

DESCRIPTION

The present design is embodied in a control device for use in heating, ventilating and air conditioning systems. FIG. 1 is a front elevational view of the control device; FIG. 2 is a top elevational view of the control device; FIG. 3 is a bottom elevational view of the control device; FIG. 4 is a left side elevational view of the control device; FIG. 5 is a right side elevational view of the control device; FIG. 6 is a front elevation view of the control device shown in a condition of use; and, FIG. 7 is a perspective view illustrating the front, top and right sides of the control device.

1 Claim, 2 Drawing Sheets






FIG. 5




FIG. 2




FIG. 1




FIG. 3




FIG. 4

FIG.6




FIG.7

