

US00D506358S

(12) **United States Design Patent**
Lowe

(10) **Patent No.: US D506,358 S**
(45) **Date of Patent: ** Jun. 21, 2005**

(54) **BEVERAGE CAN COOLER**

(76) **Inventor: Graham C. Lowe, 2559 Caroline Ave.,
Bexley, OH (US) 43209**

(**) **Term: 14 Years**

(21) **Appl. No.: 29/194,079**

(22) **Filed: Nov. 19, 2003**

| | | | |
|--------------|----------|---------|----------------|
| D402,503 S | 12/1998 | Sanchez | |
| D405,650 S | 2/1999 | Meier | |
| D407,673 S | 4/1999 | Kiser | |
| D430,827 S | * 9/2000 | Baker | D12/559 |
| D439,115 S | 3/2001 | Bidwell | |
| 6,206,223 B1 | 3/2001 | Wicker | |
| D441,614 S | * 5/2001 | Carroll | D7/624.2 |
| D442,833 S | * 5/2001 | Shuman | D7/608 |
| D445,778 S | 7/2001 | Eiler | |

Related U.S. Application Data

(62) Division of application No. 29/174,100, filed on Jan. 10, 2003.

(51) **LOC (8) Cl. 07-01**

(52) **U.S. Cl. D7/606**

(58) **Field of Search** D7/605-608, 624.1,
D7/624.2, 625; D12/575; 62/457.1-457.5,
529, 530; 215/12.1, 12.2, 13.1, 396, 398;
248/311.2, 309.1; 220/737-739, 902, 903;
211/71.01, 74, 75

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|-----------|--------------|---------------|
| D183,288 S | 7/1958 | Nappe | |
| 4,462,444 A | * 7/1984 | Larson | 215/395 |
| D304,538 S | * 11/1989 | Byrns | D7/608 |
| D334,324 S | 3/1993 | Pierce | |
| D340,103 S | 10/1993 | Nolan | |
| D347,971 S | 6/1994 | Krugman | |
| D357,386 S | 4/1995 | Jones | |
| D394,517 S | 5/1998 | Gebhard, Sr. | |
| D395,200 S | 6/1998 | Bidwell | |
| D398,193 S | 9/1998 | Sanchez | |

OTHER PUBLICATIONS

Tread Design guide, 2002, p. 109, Telstar, Trailboss H/V, Owl-OBL-TL-P-SB-RP-MST.*

* cited by examiner

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Jason H. Foster; Kremblas, Foster, Phillips & Pollick

(57) **CLAIM**

The ornamental design for a beverage can cooler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a beverage can cooler showing my new design;


FIG. 2 is a perspective view thereof with the can shown in broken lines for illustrative purposes only;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof; and

FIG. 5 is a side view thereof. All other sides thereof are substantially identical.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5