

US00D506409S

(12) **United States Design Patent** (10) **Patent No.:** **US D506,409 S**
Razza (45) **Date of Patent:** **** Jun. 21, 2005**

(54) **JEWELRY ARTICLE HAVING A THERMALLY RESPONSIVE IMAGE**

Assistant Examiner—Sarah Gill
(74) *Attorney, Agent, or Firm*—Salter & Michaelson

(76) **Inventor:** **Luca Razza**, P.O. Box 1007, North Kingstown, RI (US) 02852

(57) **CLAIM**

The ornamental design for a jewelry article having a thermally responsive image, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/204,446**

FIG. 1 is a perspective view of my design with the image in its visible mode;

(22) **Filed:** **Apr. 29, 2004**

FIG. 2 is an enlarged perspective view of the article shown in FIG. 1;

(51) **LOC (8) Cl.** **11-01**

FIG. 3 is a front elevational view thereof;

(52) **U.S. Cl.** **D11/79**

FIG. 4 is a rear elevational view thereof;

(58) **Field of Search** D11/79, 80, 85, D11/89, 54, 56, 69, 1-3, 9, 16, 29, 43-50, 135; 63/13, 20

FIG. 5 is a side edge view thereof, it being understood that the opposite side edge is a mirror image thereof;

(56) **References Cited**

FIG. 6 is a top plan view thereof;

U.S. PATENT DOCUMENTS

FIG. 7 is a bottom plan view thereof;

2,397,856	A	*	4/1946	Hagerty	63/20
2,778,208	A	*	1/1957	Flint	63/23
D246,636	S	*	12/1977	Cone	D11/89
D248,380	S	*	7/1978	Burchett	D11/43
D300,520	S	*	4/1989	Baird	D11/79
D324,501	S	*	3/1992	Ilaria	D11/95
5,156,023	A	*	10/1992	Bevolo	63/20
D383,702	S	*	9/1997	MacDonald	D11/79
D413,543	S	*	9/1999	Behr	D11/79
D456,986	S	*	5/2002	Truisi	D3/208
D473,156	S	*	4/2003	Sloot	D11/79

FIG. 8 is an enlarged sectional view taken on line 8—8 of FIG. 3;

* cited by examiner

FIG. 9 is a further enlarged view of the top portion shown in FIG. 9;

Primary Examiner—Louis S. Zarfaz


FIG. 10 is a perspective view of the article with the image in its invisible mode;

1 Claim, 6 Drawing Sheets

FIG. 11 illustrates heat being applied to the article of FIG. 10 by pressing one's thumb thereagainst; and,

FIG. 12 is a perspective view showing the image in its visible state pursuant to the application of heat thereto.

The broken-line portions in FIGS. 1, 11 and 12 are for informational purposes only and form no part of the claimed design.






FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12