

US00D506753S

(12) **United States Design Patent** (10) **Patent No.:** **US D506,753 S**  
**Duarte et al.** (45) **Date of Patent:** **\*\* Jun. 28, 2005**

(54) **ADJUSTABLE DATA PROCESSING DEVICE**

(57) **CLAIM**

(75) Inventors: **Matias Duarte**, San Francisco, CA (US); **Todd Lewis**, Mountain View, CA (US); **David Northway**, San Carlos, CA (US); **Andrew Zee**, San Carlos, CA (US)

(73) Assignee: **Danger, Inc.**, Palo Alto, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/201,120**

(22) Filed: **Mar. 9, 2004**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/346**

(58) **Field of Search** ..... D14/341-346;  
D18/1, 2, 7; 235/145 A, 145 R; 341/22,  
23; 345/156, 168, 169, 172, 173; 349/12;  
361/680-686

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D464,346 S	*	10/2002	Tischer	.....	D14/345
D476,328 S	*	6/2003	Miao et al.	.....	D14/346
D479,527 S	*	9/2003	Eigenstetter et al.	.....	D14/346
D484,503 S	*	12/2003	Duarte et al.	.....	D14/346

\* cited by examiner

*Primary Examiner*—Freda S. Nunn

(74) *Attorney, Agent, or Firm*—Blakely, Sokoloff, Taylor & Zafman, LLP

The ornamental design for a adjustable data processing device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the data processing device with a display in a first position and with a front bumper attached;

FIG. 2 is a front perspective view of the data processing device with a display in a first position and with the front bumper detached;

FIG. 3 is a front perspective view of the data processing device with a display in a second position and with the front bumper attached;

FIG. 4 is a front perspective view of the data processing device with a display in a second position and with the front bumper detached;

FIG. 5 is a back perspective view of the data processing device with a display in a first position and with a back bumper attached;


FIG. 6 is a back perspective view of the data processing device with a display in a first position and with the back bumper detached;

FIG. 7 is a top perspective view of the data processing device with a display in the second position and with the front bumper attached;

FIG. 8 is a top perspective view of the data processing device with a display in the second position and with the front bumper detached; and,

FIG. 9 is a top perspective view of the data processing device with a display in the first position and with the front bumper attached.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6



FIG. 7






FIG. 8




FIG. 9