



US00D506775S

(12) **United States Design Patent**
Kida et al.

(10) **Patent No.:** **US D506,775 S**
(45) **Date of Patent:** **** Jun. 28, 2005**

(54) **STAMP**

(75) Inventors: **Masaki Kida**, Setagaya-ku (JP);
Motohide Imaizumi, Setagaya-ku (JP)

(73) Assignee: **Shachihata Inc.**, Aichi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/194,461**

(22) Filed: **Nov. 26, 2003**

(30) **Foreign Application Priority Data**

Jun. 3, 2003 (JP) 2003-015605

(51) **LOC (8) Cl.** **19-02**

(52) **U.S. Cl.** **D18/15**

(58) **Field of Search** D18/15-18, 50;
101/333-334, 327, 405, 406, 328, 352.07;
118/264, 268

(56) **References Cited**

U.S. PATENT DOCUMENTS

D145,514 S	*	9/1946	Duke	D18/15
2,818,802 A	*	1/1958	Knee	101/111
D280,643 S	*	9/1985	Ichikawa	D18/15
D280,644 S	*	9/1985	Ichikawa	D18/15
D378,597 S	*	3/1997	Harden	D18/15
D422,017 S	*	3/2000	Harden	D18/15
D446,805 S	*	8/2001	Suto	D18/15
6,367,382 B1	*	4/2002	Imamaki et al.	101/405

FOREIGN PATENT DOCUMENTS

JP	647228	3/1985
JP	983176	6/1997
JP	1121038	9/2001

* cited by examiner

Primary Examiner—Charles A. Rademaker
(74) *Attorney, Agent, or Firm*—Jacobson Holman PLLC

(57) **CLAIM**

The ornamental design for a stamp, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a stamp showing our new design;
 FIG. 2 is a front elevation thereof;
 FIG. 3 is a rear elevation thereof;
 FIG. 4 is a left side elevation thereof;
 FIG. 5 is a right side elevation thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a cross-sectional view taken along line A—A in FIG. 2 and shown on an enlarged scale;
 FIG. 9 is a cross-sectional view taken along line B—B in FIG. 5 and shown on an enlarged scale;
 FIG. 10 is a front elevation of the stamp body with the cap omitted for ease of illustration;
 FIG. 11 is a rear elevation thereof;
 FIG. 12 is a left side elevation thereof;
 FIG. 13 is a right side elevation thereof;
 FIG. 14 is a top plan view thereof;
 FIG. 15 is a bottom plan view thereof;
 FIG. 16 is a front elevation of the cap member with the stamp body omitted for ease of illustration;
 FIG. 17 is a rear elevation thereof;
 FIG. 18 is a left side elevation thereof;
 FIG. 19 is a right side elevation thereof;
 FIG. 20 is a top plan view thereof; and,
 FIG. 21 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16




FIG.17




FIG.18




FIG.19




FIG.20




FIG.21

