



US00D506782S

(12) **United States Design Patent**
Madigan et al.

(10) **Patent No.: US D506,782 S**
(45) **Date of Patent: ** Jun. 28, 2005**

(54) **EDUCATIONAL WALKING TRACK**

(76) Inventors: **Stephen Joseph Madigan**, 232 Zachary Walk, Murphy, TX (US) 75094; **Winifred Jean Madigan**, 232 Zachary Walk, Murphy, TX (US) 75094; **Larry Eugene Hess**, 307 E. 28th Division Hwy., Lititz, PA (US) 17543; **Cynthia Anne Hess**, 307 E. 28th Division Hwy., Lititz, PA (US) 17543

(**) Term: **14 Years**

(21) Appl. No.: **29/207,252**

(22) Filed: **Jun. 10, 2004**

(51) **LOC (8) Cl. 19-07**

(52) **U.S. Cl. D19/60**

(58) **Field of Search** D19/59, 60, 61, D19/62, 63, 64; D21/334, 338, 340, 800, 826; 182/181.1; 238/10 F; 273/236, 242, 254, 275, 287; 434/247, 255, 258; 482/34, 35, 36, 37, 38, 39, 41

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,916,809 A * 7/1933 Patterson 472/14
- 2,929,627 A * 3/1960 Scanlon 482/36
- 2,956,806 A * 10/1960 Routson 482/35
- 3,206,122 A * 9/1965 Frisbie et al. 238/10 F
- 3,339,920 A * 9/1967 Moritz 482/34

- 3,545,747 A * 12/1970 Thomas 273/449
- D238,388 S * 1/1976 Monroe D21/338
- 3,944,654 A * 3/1976 Moore 482/34
- 5,211,366 A * 5/1993 Cummings 248/230.8
- 5,440,996 A * 8/1995 Cottino 104/47
- 5,554,074 A * 9/1996 Von Parrish 472/116
- 2003/0047420 A1 * 3/2003 Snell et al. 198/495
- 2004/0009845 A1 * 1/2004 Johnson 482/41

* cited by examiner

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Elizabeth Albert

(57) **CLAIM**

We claim the ornamental design for an educational walking track, as shown and described.

DESCRIPTION

U.S. patent application Ser. No. 10/824,963 dated Apr. 15, 2004.

The single FIGURE is a top plan view of the educational walking track showing our new design.

It is understood that the pair of shaded rails that make up the tracks are solid and that the unshaded narrow rungs connecting the tracks are also solid. Moreover the five shaded square platforms where the tracks intersect are also solid. All the areas between the platforms, rails and rungs and all the areas between the tracks are understood to be open spaces. The tracks, made up of rails and rungs, and the platforms are understood to have a minimal thickness.

1 Claim, 1 Drawing Sheet



