



US00D506782S

(12) **United States Design Patent**
Madigan et al.

(10) **Patent No.: US D506,782 S**
(45) **Date of Patent: ** Jun. 28, 2005**

(54) **EDUCATIONAL WALKING TRACK**

(76) Inventors: **Stephen Joseph Madigan**, 232 Zachary Walk, Murphy, TX (US) 75094; **Winifred Jean Madigan**, 232 Zachary Walk, Murphy, TX (US) 75094; **Larry Eugene Hess**, 307 E. 28th Division Hwy., Lititz, PA (US) 17543; **Cynthia Anne Hess**, 307 E. 28th Division Hwy., Lititz, PA (US) 17543

(**) Term: **14 Years**

(21) Appl. No.: **29/207,252**

(22) Filed: **Jun. 10, 2004**

(51) **LOC (8) Cl. 19-07**

(52) **U.S. Cl. D19/60**

(58) **Field of Search** D19/59, 60, 61, D19/62, 63, 64; D21/334, 338, 340, 800, 826; 182/181.1; 238/10 F; 273/236, 242, 254, 275, 287; 434/247, 255, 258; 482/34, 35, 36, 37, 38, 39, 41

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,916,809 A *	7/1933	Patterson	472/14
2,929,627 A *	3/1960	Scanlon	482/36
2,956,806 A *	10/1960	Routson	482/35
3,206,122 A *	9/1965	Frisbie et al.	238/10 F
3,339,920 A *	9/1967	Moritz	482/34

3,545,747 A *	12/1970	Thomas	273/449
D238,388 S *	1/1976	Monroe	D21/338
3,944,654 A *	3/1976	Moore	482/34
5,211,366 A *	5/1993	Cummings	248/230.8
5,440,996 A *	8/1995	Cottino	104/47
5,554,074 A *	9/1996	Von Parrish	472/116
2003/0047420 A1 *	3/2003	Snell et al.	198/495
2004/0009845 A1 *	1/2004	Johnson	482/41

* cited by examiner

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Elizabeth Albert

(57) **CLAIM**

We claim the ornamental design for an educational walking track, as shown and described.

DESCRIPTION

U.S. patent application Ser. No. 10/824,963 dated Apr. 15, 2004.

The single FIGURE is a top plan view of the educational walking track showing our new design.

It is understood that the pair of shaded rails that make up the tracks are solid and that the unshaded narrow rungs connecting the tracks are also solid. Moreover the five shaded square platforms where the tracks intersect are also solid. All the areas between the platforms, rails and rungs and all the areas between the tracks are understood to be open spaces. The tracks, made up of rails and rungs, and the platforms are understood to have a minimal thickness.

1 Claim, 1 Drawing Sheet



