

US00D506943S

(12) **United States Design Patent**
Erickson

(10) **Patent No.:** **US D506,943 S**

(45) **Date of Patent:** **** Jul. 5, 2005**

(54) **TIRE BEAD NECKLACE**

(76) **Inventor:** **Shane Erickson**, 1840 Shorewood La.,
Mound, MN (US) 55364

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/190,264**

(22) **Filed:** **Sep. 17, 2003**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/3; D11/6; D11/11**

(58) **Field of Search** **D11/1-25, 93;**
59/80; 63/4; D12/501

(56) **References Cited**

U.S. PATENT DOCUMENTS

D235,433 S	*	6/1975	May	D12/211
D239,268 S	*	3/1976	Harty, Jr.	D12/501
D326,240 S	*	5/1992	Kouns	D11/6
D329,401 S	*	9/1992	Chia et al.	D11/93
D395,747 S	*	7/1998	Wilkins	D3/211
D446,148 S		8/2001	Kelly		
D471,129 S	*	3/2003	Chia et al.	D11/93
D471,838 S	*	3/2003	Chia et al.	D11/93

6,629,434 B2	*	10/2003	Chia et al.	63/26
D497,120 S	*	10/2004	Chia et al.	D11/93
2004/0103689 A1	*	6/2004	Chia et al.	63/26

* cited by examiner

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—John Windmuller

(74) *Attorney, Agent, or Firm*—Kinney & Lange, P.A.

(57) **CLAIM**


The ornamental design for a tire bead necklace, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a necklace of a plurality of tire beads, with individual tire beads shown in different perspective orientations to illustrate the design of the tire bead forming the necklace; and,

FIG. 2 is an enlarged view of three consecutive beads of the necklace of FIG. 1, as indicated on FIG. 1. The central radial portion of each tire bead, corresponding to the normal location of a wheel, is illustrated with broken lines and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2