



US00D507219S

(12) **United States Design Patent**
Boyer

(10) **Patent No.:** **US D507,219 S**
(45) **Date of Patent:** **** Jul. 12, 2005**

(54) **SURFACE CONFIGURATION OF A REAR DOOR FOR A VEHICLE**

D494,913 S * 8/2004 Chapman D12/196
D495,983 S * 9/2004 Pfeiffer et al. D12/196

(75) Inventor: **Boyke Boyer**, Ismaning (DE)

* cited by examiner

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

Primary Examiner—Melody N. Brown
(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/204,038**

The ornamental design for a surface configuration of a rear door for a vehicle, as shown and described.

(22) Filed: **Apr. 23, 2004**

DESCRIPTION

(30) **Foreign Application Priority Data**

Oct. 24, 2003 (DE) 4 03 06 906

This application is related to the following co-pending application, of the inventor, filed on even date herewith: Application Ser. No. 29/204,040, entitled "Surface Configuration of a Vehicle Toy and/or Other Replicas".

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/196**

(58) **Field of Search** D12/196, 90-92,
D12/86; 296/185

FIG. 1 is a front view of a surface configuration of a rear door for a vehicle according to my novel design; FIG. 2 is a left side view of the surface configuration of a rear door for a vehicle according to my novel design, the right side view being mirror symmetrical; and, FIG. 3 is a left perspective view of the surface configuration of a rear door for a vehicle according to my novel design, the right perspective view being mirror symmetrical.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D440,532 S * 4/2001 Sacco et al. D12/196
D452,468 S * 12/2001 Sacco et al. D12/196
D459,283 S * 6/2002 Sinkwitz D12/196
D476,936 S * 7/2003 Boyer D12/196
D491,855 S * 6/2004 Velazco D12/196

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3